

Product Catalogue



Pure Natural Professional

**Your Partner for Quality Phytochemicals
And Reference Substances**

Chengdu Biopurify Phytochemicals Ltd.

2011.12

<http://www.biopurify.com>



Welcome to our new catalogue!

Biopurify Phytochemicals provides quality phytochemicals, especially Chinese Herb Active Ingredients to our global customers. From small quantities for R&D or reference substance, to large quantities for customizing or manufacturing, Biopurify emphasizes the service side for consistency and reliability.

We are dedicated to the extraction and purification of phytochemicals. We offer our customers with high purity target phytochemicals. Reference substances for health care products and herbal medicine, target herbal extract monomers for R&D, commercial scale custom isolation and purification are three of our major areas.

The products listed in our catalog can all be manufactured in commercial scale. All our products have strict quality control and assurance and can be offered the data of HPLC, MS and NMR ect.

We offer Chinese medicine reference substances or the active ingredients reference substances(working standards) of the herbal medicine in line with the requirements of CP, USP and EP, can provide the calibration and identification data according to customers' request.

We also offer phytochemical Compound Library --- an extensive collection of phytochemicals from Chinese herb and plant for new drug screening. More than 600 natural compounds are available in powder form from 5mg~50mg in this library, many of them are unavailable elsewhere. We can provide the SD file for Compound Library request.

We pride ourselves in providing our customers with a total satisfaction experience. We have focused on simplifying the purchasing process, lowering our costs, and improving our turnaround time. Our technical staff will take the time to understand your needs to provide you with the right product and service. We believe that through superior service we will build a successful business relationship.

We are doing our best to be your reliable partner for high quality Phytochemicals and Reference Substances.

We are committed to providing-----

good services, high quality products and competitive prices.





Product List

[Click the mouse on the product name in tracking links](#)

1-Deoxynojirimycin	Andrographolide	Biochanin A
1-Octacosanol	Anemoside B4	Bisdemethoxycurcumin
11-oxo-mogroside V	Apigenin	Brucine
1,2,3,4,6-O-Pentagalloylglucose	Apigetrin	Bulleyaconi cine A
1,5-Dicaffeoylquinic acid	Apiin	(+)-Corynoline
2"-O-Galloylhyperin	Araloside V	Caffeic acid
2,3,5,4'-Tetrahydroxy	Araloside X	Caftaric acid
stilbene-2-O- β -D-glucoside	Araloside VII	Calycosin
2,3,5,6-Tetramethylpyrazine	Arbutin	Calycosin-7-glucoside
20R-Ginsenoside Rg3	Arctigenin	Camptothecine
20R-Ginsenoside Rh1	Arctiin	Camptothecine
20R-Ginsenoside Rh2	Artemether	Cantharidin
(20S)-Protopanaxatriol	Artemisinine	Carnosic acid
20R-Protopanaxadiol	Asiatic acid	Carnosol
3,5,7-Trihydroxyflavone	Asiaticoside	β -Carotene
3-Hydroxy-4-methoxycinnamic acid	Asperosaponin VI	Casticin (Vitexicarpin)
4'-O-glucopyranosyl-5-O-	Astilbin	(+)-Catechin Hydrate
methylvisamminol	Astragalin	(+)Catechin
5,7-Dihydroxychromone	Astragaloside I	Catalpol
5-HTP	Astragaloside II	Catechin gallate
5-Methoxypsoralen	Astragaloside III	Catharanthine
5-O-methylvisammioside	Astragaloside IV(A)	Celastrol
6-gingerol	Atractylenolide I	Cepharanthine
6,7-Dihydroxycoumarin	Atractylenolide II	Chelerythrine
8-Gingerol	Atractylenolide III	Chicoric acid
10-Deacetyl baccatin	aurantio-obtusin	Chlorogenic acid
10-hydroxycamptothecin	Baicalein	Chrysin
Aconitine	Baicalin	Chrysophanol
Acteoside	Baohuoside I	cimifugin
Agnuside	Barlerin	Cinnamic acid
Alantolactone	Berberine	Ciwujianoside-B
Alantolactone	Berberine hydrochloride	Clinodiside A
Alibiflorin	Bergenin	Colchicine
Alisol B 23-acetate	Betaine	Complanatoside A
Alliin	Betaine hydrochloride	Coptisine
Alismoxide	Betulin	Coptisine chloride
Alpha-Mangostin	Betulinic acid	Cordycepin
Aloe Emodin	Betulinaldehyde	Corilagin
Aloin	(+)-Bicuculline	Corosolic acid
Amentoflavone	Bilirubin	Coumarin
Amygdalin	Bilobalide	<i>p</i> -Coumaric acid



Crocin I	Emodin	Genipin
Crocin II	Engeletin	Genistin
Crotaline	Epicatechin (EC)	Genistein
Crotonoside	Epicatechin gallate (ECG)	Gentiopicroin
Cryptochlorogenic acid	Epigallocatechin (EGC)	Geraniin
Cryptotanshinone	Epigallocatechin gallate(E	Germacrone
Cucarbitacin B	GCG)	Ginkgetin
Curcumin	Epigoitrin	Ginkgolide A
Curcumol	Epimedin A	Ginkgolide B
Curdione	Epimedin B	Ginkgolide C
Cynarin(1,3-Dicaffeoylquinic acid)	Epimedin C	Ginkgolide J
cyanidin-3-O-glucoside	Eriocitrin	Ginsenoside CK
Cyanidin Chloride	Eriodictyol	Ginsenoside F1
Cyasterone	Escin IA (Aescin IA)	Ginsenoside F2
Cytisine	Escin IB(Aescin IB)	Ginsenoside F3
Daidzin	Esculentoside A	Ginsenoside Rb1
Daidzein	Esculentoside B	Ginsenoside Rb2
Daphnetin	Esculentoside C	Ginsenoside Rb3
Dauricine	Esculentoside D	Ginsenoside Rc
Deapioplatycodin D	Esculentoside E	Ginsenoside Rd
Dehydroandrographolide	Esculin	Ginsenoside Re
Demethoxycurcumin	Ethyl ferulate	Ginsenoside Rf
Demethylzeylasteral	Eugenol	Ginsenoside Rg1
Dendrobine	Eugenol	Ginsenoside Rg2
Desacetyl asperulosidic acid	Eupatilin	Ginsenoside Rg3
Dictamine	Evodiamine	Ginsenoside Rg4
Dihydrocapsaicin	Fangchinoline	Ginsenoside Rg5
Dihydroartemisinin	Fisetin	Ginsenoside Rh1
Dihydrotanshinone I	Fangchinoline	Ginsenoside Rh2
Dihydromyricetin	Formononetin	Ginsenoside Rh3
Dimethylfraxetin	Forsythin	Ginsenoside Rh4
Diosgenin	Fraxetin	Ginsenoside Ro
Diosgenin glucoside	Fraxinellone	Glabridin
Diosmetin-7-O-β-D-glucopyranosid	Fumalic acid	Glycitein
e	Gallic acid	Glycitin
Dioscin	Gallocatechin(GC)	Glycyrrhetic acid
Diosimin	Gallocatechin gallate	Glycyrrhizic acid
Ecdysterone	(GCG)	Gramine
Echinacoside	Gamma-mangostin	Gypenoside XLIX
Echinocystic acid	Garcinone C	Gypenoside XVII
Eleutheroside A	Garcinone D	Harpagoside
Eleutheroside B	Gastrodin	Herbacetin
Eleutheroside E	Geniposide	Hesperidin
Ellagic acid	Geniposidic acid	Hesperitin



Hedera saponin B	Kaempferol	Naringenin
Hederagenin	Kaempferol-3-O-glucorham	Narirutin
Helicid	noside	Naringin
Homoharringtonine	L-4-Hydroxyisoleucine	Neochlorogenic acid
Homovanillic acid	Lathyrol	Neohesperidin
Honokiol	Levodopa	Neomangiferin
Huperzine A	Licochalcone A	Nitidine Chloride
Hydroxytyrosol	Ligustrazine Hydrochloride	N—Methylcytisine
Hydroxysafflor yellow A	Limonin	Nobiletin
Hypericin	Linarin	Norcantharidin
Hyperoside	Linderane	Norisoboldine
Icariin	Liquidambaric acid	Notoginsenoside R1
Imperatorin	Liquiritigenin	Nuciferine
Indigo	Liquiritin	Niranthin
Irisflorentin	Lobetyolin	Nomilin
Isoacteoside	Loganin	Obacunone
Isoalantolactone	Luteoloside	Oleuropein
Isoescsin IA(isoescsin IA)	Luteolin	Ononin
Isoescsin IB(Isoescsin IB)	Lupeol	Ophiopogonin D
Isoliquiritin	Lycorine chloride	Osthole
Isoliquiritigenin	(±)-Maackiain	Orientin
Isolinderalactone	Macranthoidin B	Oridonin
Isopsoralen	Madecassoside	Oxymatrine
Isoquercitrin	Madecassic acid	Oxysophocarpine
Isorhamnetin	Magnolol	Paeoniflorin
Isorhamnetin-3-O-β-D-Glucoside	Mangiferin	Paeonol
Isorhynchophylline	Matrine	Paclitaxel
Isosilybin	Maslinic Acid	Panaxadiol
Isovitexin	Menthol	Panaxtriol
Isochlorogenic acid A	Mogroside III	Parthenolide
Isochlorogenic acid B	Mogroside IV	Patchouli alcohol
Isochlorogenic acid C	Mogroside V	Pectolinarin
Isoimperatorin	Mogroside VI	Peimine
Isoorientin	Momordin Ic	Peiminine
Isorhychophylline	Monoammonium	Peimisine
Isorhamnetin-3-O-neohespeidoside	glycyrrhizinate	Peucedanol
Isorhamnetin-3-O-β-D-rutinoside	Monotropein	Palmatine hydrochloride
Jaceosidin	Morin	Phellodendrine
Jatrorrhizine	Morroniside	Phloridzin
Jatrorrhizine Hydrochloride	Myricetin	Phloretin
Jujuboside A	Murrayone	Physcion
Jujuboside B	Muscone	Phytic acid
Jujuboside D	Myricetrin	Picrinine
Kaempferide	Myrislignan	Picroside I



Picroside II	Rhein	Silybin
Picroside III	Rosarin	Silymarin
Pinoresinol diglucoside	Rosavin	Silychristin
Piperine	Rosin	Silydianin
Plantamajoside	Rosiridin	Sinomenine
Platycodin D	Rosmarinic acid	Sophocarpine
Podophyllotoxin	Rhynchophylline	Specnuezhenide
Polygalacic acid	Rutin	Stevioside
Polyphyllin A	Rutaecarpine	Stigmasterol
Polyphyllin B	β -Sitosterol	Swertiamarin
Polyphyllin C	Saikosaponin A	Sweroside
Polyphyllin D	Saikosaponin B1	Tanshinone I
Polyphyllin E	Saikosaponin B2	Tanshinone IIA
Polyphyllin F	Saikosaponin C	Tectoridin
Polydatin	Saikosaponin D	Tectorigenin
Praeruptorin A	Salidroside	Tetrandrine
Praeruptorin D	Salvianolic acid A	Tiliroside
Praeruptorin E	Salvianolic acid B	Theobromine
Prim-O-glucosylcimifugin	Salicin	Theophylline
Procyanidin B1	Sanguinarine	Toosendanin
Procyanidin B2	Sarsasapogenin	Timosaponin b- II
Protodioscin	Sec-O-Glucosylhamaudol	Timosaponin a-III
Protopanaxadiol	Schisandrin A	3,4,5-Tricaffeoylquinic acid
Protopanaxatriol	Schisandrin B	Trifolirhizin
Pseudohypericin	Schisandrin C	Triptolide
Pseudoginsenoside-RT5	Schizandrol A	Tripdiolide
Pseudoginsenoside- F ₁₁	Schizandrol B	Triptonide
Pseudolaric Acid A	Schizanthrin A	Tubeimoside I
Pseudolaric Acid A-O- β -D-	Schizanthrin B	tuberostemonine
Pseudolaric Acid B	Scutellarein	Tyrosol
Pseudolaric Acid B-O- β -D-	Scutellarin	Typhaneoside
Pseudolaric Acid C	Secoisolariciresinol	Umbelliferone
Psoralen	Diglucoside	Ursolic acid
Puerarin	Senegenin	Usnic acid
Punicalagin	Sennoside A	Vitexin
Punicalin	Sennoside B	Vindoline
Oleanolic acid	Sennoside C	Vitexin-2'-o-rhamnoside
Quercitrin	Sennoside D	Vitexin-4'-O-Glucoside
Quercetin	Sesamin	Wilforlide A
Quercetin-7-O- β -D- glucoside	Sesamolin	Wogonin
Raddeanin A	Shanzhiside methylester	Xylitol
Rebaudioside A	Shikonin	Yohimbine Hydrochloride
Resveratrol	Shikimic acid	Z-Ligustilide
Reserpine	Siamenoside I	

Kits for R & D

Caffeoylquinic acids Kit

Chlorogenic acid
Cryptochlorogenic acid
Cynarin(1,3-Dicaffeoylquinic acid)
1,5-Dicaffeoylquinic acid
Isochlorogenic acid A
Isochlorogenic acid B
Isochlorogenic acid C
Neochlorogenic acid
3,4,5-Tricaffeoylquinic acid

Catechins Kit

Catechin (C)
Catechin gallate (CG)
Epicatechin (EC)
Epicatechin gallate (ECG)
Epigallocatechin (EGC)
Epigallocatechin gallate(EGCG)
Gallocatechin(GC)
Gallocatechin gallate (GCG)

Centella Asiatica Triterpenes Kit

Asiatic acid
Asiaticoside
Madecassoside
Madecassic acid

Cortex Pseudolaricis Ingredients kit

Pseudolaric Acid A
Pseudolaric Acid B
Pseudolaric Acid C
Pseudolaric acid A-0- β -D-glucopyranoside
Pseudolaric acid B-0- β -D-glucopyranoside

Eleutherosides Kit

Eleutheroside A
Eleutheroside B
Eleutheroside E

Epimedium Kit

Epimedin A
Epimedin B
Epimedin C
Icariin

Escins(Aescins) Kit

Escin IA (Aescin IA)
Escin IB (Aescin IB)
Isoescin IA
Isoescin IB

Garcinia Mangostana Xanthones Kit

Garcinone C
Garcinone D
Alpha-Mangostin
Gamma-mangostin

Hawthorn Ingredients Kit

Vitexin
Vitexin-2'-O-rhamnoside
Vitexin-4'-O-Glucoside

Hypericum Ingredients Kit

Hypericin
Hyperoside
Pseudohypericin

Leigongteng Ingredients Kit

Celastrol
Triptolide
Triptdiolide
Triptonide
Wilforlide A

Luohanguo Ingredients Kit

Mogroside IV
Mogroside V
Mogroside VI
11-oxo-mogroside V
Siamenoside I

Licorice Ingredients Kit

Glabridin
Glycyrrhetic acid
Glycyrrhizic acid
Isoliquiritigenin
Isoliquiritin



Liquiritigenin
Liquiritin
Monoammonium glycyrrhizinate

Rhodiola Ingredients Kit

Rosarin
Rosavin
Rosin
Rosiridin
Salidroside

Sennosides Kit

Sennoside A
Sennoside B

Sennoside C
Sennoside D

Soybean Isoflavones Kit

Daidzin
Daidzein
Genistin
Genistein
Glycitein
Glycitin





Stevia Ingredients

Rebaudioside A
Stevioside










20110614

1-Deoxynojirimycin 	Botanical Source: Mulberry Leaves CAS No: 19130-96-2 Catalogue No: D4634 Mol. formula: C₆H₁₃NO₄ Mol. weight: 163.173 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g... Synonyms: Moranoline
1-Octacosanol 	Botanical Source: Rice bran wax CAS No: 557-61-9 Catalogue No: O07082 Mol. formula: C₂₈H₅₈O Mol. weight: 410.75952 Purity: >98% by HPLC Package: 20mg; 50mg; 100mg, 1g,10g... Synonyms: n-Octacosanol; Octacosanol; Cluetyl alcohol; Montanyl alcohol; Octacosyl alcohol; Policosanol; polycosanol
11-oxo-mogroside V 	Botanical Source: Momordica grosvenori(Luo Han Guo) CAS No: Catalogue No: O08023 Mol. formula: C₆₀H₁₀₀O₂₉ Mol. weight: 1285.42 Purity: >98% by HPLC Package: 20mg; 50mg; 100mg, 1g,10g, 100g... Synonyms:
1,2,3,4,6-O-Pentagalloylglucose 	Botanical Source: Rubus spp. CAS No: 14937-32-7 Catalogue No: O4024 Mol. formula: C₄₁H₃₂O₂₆ Mol. weight: 940.677 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g... Synonyms: Pentagalloylglucose
1,5-Dicaffeoylquinic acid 	Botanical Source: Artichoke(Cynarascolumus L.) CAS No: 30964-13-7 Catalogue No: C07038 Mol. formula: C₂₅H₂₄O₁₂ Mol. weight: 516.46 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g,1kg,10kg... Synonyms: Cynarin; Cynarine








20110614

2"-O-Galloylhyperin	Botanical Source: Wintergreen
	CAS No: 53209-27-1 Catalogue No: O4036 Mol. formula: C ₂₈ H ₂₄ O ₁₆ Mol. weight: 616.481 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Quercetin 3-b-galactoside-2'-O-gallate
2,3,5,4'-Tetrahydroxy	Botanical Source: Polygonum multiflorum
	CAS No: 55327-45-2 Catalogue No: T4037 Mol. formula: C ₂₀ H ₂₂ O ₉ Mol. weight: 406.383 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
2,3,5,6-Tetramethylpyrazine	Botanical Source: Ligusticum chuanxiong Hort
	CAS No: 1124-11-4 Catalogue No: L4333 Mol. formula: C ₈ H ₁₂ N ₂ Mol. weight: 136.196 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Tetramethylpyrazin, Chuanxiongine, Ligustrazine Hydrochloride
20R-Ginsenoside Rg3	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 38243-03-7 Catalogue No: G4680 Mol. formula: C ₄₂ H ₇₂ O ₁₃ Mol. weight: 785.023 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
20R-Ginsenoside Rh1	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 112246-15-8 Catalogue No: G4679 Mol. formula: C ₃₆ H ₆₂ O ₈ Mol. weight: 622.881 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

20R-Ginsenoside Rh2	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 112246-15-8 Catalogue No: G4679 Mol. formula: C ₃₆ H ₆₂ O ₈ Mol. weight: 622.881 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
(20S)-Protopanaxatriol	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 34080-08-5 Catalogue No: Mol. formula: C ₃₀ H ₅₂ O ₄ Mol. weight: 476.738 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
20R-Protopanaxadiol	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: Catalogue No: Mol. formula: C ₃₀ H ₅₂ O ₃ Mol. weight: 460 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
3,5,7-Trihydroxyflavone	Botanical Source: Alpinia officinarum Hance
	CAS No: 548-83-4 Catalogue No: G4245 Mol. formula: C ₁₅ H ₁₀ O ₅ Mol. weight: 270.237 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 3,5,7-Trihydroxy-2-phenyl-4H-1-benzopyran-4-one, 9Cl. 5,7-Dihydroxyflavonol. Galangin. Norisalpinin
3-Hydroxy-4-methoxycinnamic	Botanical Source:
	CAS No: 537-73-5 Catalogue No: I4305 Mol. formula: C ₁₀ H ₁₀ O ₄ Mol. weight: 194.184 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Isoferulic acid. Hesperetic acid. Hesperetic acid








20110614

4'-O-glucopyranosyl-5-O-	Botanical Source: Ledebouriella seseloides
	CAS No: 84272-85-5 Catalogue No: O4047 Mol. formula: C ₂₂ H ₂₈ O ₁₀ Mol. weight: 452.452 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 5-O-methylvisammioside
5,7-Dihydroxychromone	Botanical Source: peanut shell
	CAS No: 31721-94-5 Catalogue No: D09014 Mol. formula: C ₉ H ₆ O ₄ Mol. weight: 178.14 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 5,7-dihydroxy-4H-chromen-4-one
5-HTP	Botanical Source: griffonia simplicifolia
	CAS No: 56-69-9, 114-03-4 Catalogue No: H4635 Mol. formula: C ₁₁ H ₁₂ N ₂ O ₃ Mol. weight: 220.227 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 5-Hydroxytryptophan
5-Methoxypsoralen	Botanical Source: Citrus bergamia
	CAS No: 484-20-8 Catalogue No: B4108 Mol. formula: C ₁₂ H ₈ O ₄ Mol. weight: 216.19 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 4-Methoxy-7H-furo[3,2-g]benzopyran-7-one. Bergapten. Heraclin. Majudin
5-O-methylvisammioside	Botanical Source: Saposhnikovia divaricata (Turcz.) Schischk.
	CAS No: 84272-85-5 Catalogue No: O4047 Mol. formula: C ₂₂ H ₂₈ O ₁₀ Mol. weight: 452.452 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 4'-O-beta-Glucopyranosyl-5-O-Methylvisamminol








20110614

6-gingerol	Botanical Source: Zingiber Officinale Rosc
	CAS No: 23513-14-6 Catalogue No: G282 Mol. formula: C ₁₇ H ₂₆ O ₄ Mol. weight: 294.386 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
6,7-Dihydroxycoumarin	Botanical Source: potato, Aesculus, Atropa, Datura, Digitalis
	CAS No: 305-01-1 Catalogue No: E4228 Mol. formula: C ₉ H ₆ O ₄ Mol. weight: 178.142 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Esculetin
8-Gingerol	Botanical Source: Zingiber officinale
	CAS No: 23513-08-8 Catalogue No: G4051 Mol. formula: C ₁₉ H ₃₀ O ₄ Mol. weight: 322.439 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
10-Gingerol	Botanical Source: Zingiber officinale Rosc.
	CAS No: 23513-15-7 Catalogue No: G4027 Mol. formula: C ₂₁ H ₃₄ O ₄ Mol. weight: 350.492 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
8-Methoxypsoralen	Botanical Source: Psoralea corylifolia L
	CAS No: 298-81-7 Catalogue No: M4357 Mol. formula: C ₁₂ H ₈ O ₄ Mol. weight: 216.19 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Xanthotoxin; Meladinine; Oxsoralen








20110614

10-Deacetyl baccatin	Botanical Source: Taxus baccata
	CAS No: 32981-86-5 Catalogue No: D4026 Mol. formula: C ₂₉ H ₃₆ O ₁₀ Mol. weight: 544.59 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 10-deacetyl baccatin III
10-hydroxycamptothecin	Botanical Source: camptotheca acuminata Decne
	CAS No: 19685-09-7 Catalogue No: H4028 Mol. formula: C ₂₀ H ₁₆ N ₂ O ₅ Mol. weight: 364.351 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Aconitine	Botanical Source: camptotheca acuminata Decne
	CAS No: 302-27-2 Catalogue No: A4055 Mol. formula: C ₃₄ H ₄₇ NO ₁₁ Mol. weight: 645.737 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Acteoside	Botanical Source: Cistanche tubulosa
	CAS No: 61276-17-3 Catalogue No: A07071 Mol. formula: C ₂₉ H ₃₆ O ₁₅ Mol. weight: 624.59 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Verbascoside; Kusagin; Kusagin; [6-[2-(3,4-dihydroxyphenyl)ethoxy]-5-hydroxy-2-(hydroxymethyl)-4-(3,4,5-trihydroxy-6-methyloxan-2-yl)oxyoxan-3-yl] 3-(3,4-dihydroxyphenyl)prop-2-enoate
Agnuside	Botanical Source: Chaste tree
	CAS No: 11027-63-7 Catalogue No: A07068 Mol. formula: C ₂₂ H ₂₆ O ₁₁ Mol. weight: 466.44 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: [(1S,4aS,5R,7aR)-1-(beta-D-glucopyranosyloxy)-1,4a,5,7a-tetrahydro-5-hydroxycyclopenta[c]pyran-7-yl]methyl ester








20110614

Alantolactone	Botanical Source: Inula helenium L.
	CAS No: 546-43-0 Catalogue No: H4283 Mol. formula: C ₁₅ H ₂₀ O ₂ Mol. weight: 232.318 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Helenine
Alibiflorin	Botanical Source: Paeonia albiflora Pall
	CAS No: 39011-90-0 Catalogue No: A4057 Mol. formula: C ₂₃ H ₂₈ O ₁₁ Mol. weight: 480.462 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 9-[(Benzoyloxy)methyl]-1-(-D-glucopyranosyloxy)-4-hydroxy-6-methyl-7-oxatricyclo[4.3.0.0 ^{3,9}]nonan-8-one, 9CI
Alisol B 23-acetate	Botanical Source: Alisma plantago-aquatica
	CAS No: 26575-95-1 Catalogue No: A4059 Mol. formula: C ₃₂ H ₅₀ O ₅ Mol. weight: 514.736 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Alisol Acetate B
Alliin	Botanical Source: Garlic
	CAS No: 556-27-4 Catalogue No: A09010 Mol. formula: C ₆ H ₁₁ NO ₃ S Mol. weight: 177.22 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (S)-3-(2-Propenylsulfinyl)-L-alanine; 3-(2-Propenylsulfinyl)alanine;
Alismoxide	Botanical Source: Alisma plantago-aquatica and Alisma
	CAS No: 87701-68-6 Catalogue No: A4636 Mol. formula: C ₁₅ H ₂₆ O ₂ Mol. weight: 238.369 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Alpha-Mangostin	Botanical Source: Garcinia Mangostana(Mangosteen)
	CAS No: 6147-11-1 Catalogue No: M07045 Mol. formula: C ₂₄ H ₂₆ O ₆ Mol. weight: 410.46 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g,1kg... Synonyms: α-mangostin
Aloe Emodin	Botanical Source: Rheum palmatum L.
	CAS No: 481-72-1 Catalogue No: A4061 Mol. formula: C ₁₅ H ₁₀ O ₅ Mol. weight: 270.237 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 1,8-Dihydroxy-3-(hydroxymethyl)-9,10-anthracenedione;
Aloin	Botanical Source: Aloe vera L.
	CAS No: 1415-73-2 Catalogue No: A4062 Mol. formula: C ₂₁ H ₂₂ O ₉ Mol. weight: 418.394 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg... Synonyms: Barbaloin
Amentoflavone	Botanical Source: Selaginella tarmariscina(Beauv.)
	CAS No: 1617-53-4 Catalogue No: A08026 Mol. formula: C ₃₀ H ₁₈ O ₁₀ Mol. weight: 538.46 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 8-(5-(5,7-dihydroxy-4-oxo-4H-chromen-2-yl)-2-hydroxyphenyl)-5,7-dihydroxy-2-(4-hydroxyphenyl)-4H-chromen-4-one
Amygdalin	Botanical Source: Bitter glycoside of the Rosaceae
	CAS No: 29883-15-6 Catalogue No: A4064 Mol. formula: C ₂₀ H ₂₇ NO ₁₁ Mol. weight: 457.428 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: D-Mandelonitrile-b-gentiobioside








20110614

Andrographolide 	Botanical Source: Andrographis Paniculata(Burm.f) Ness CAS No: 5508-58-7 Catalogue No: A4065 Mol. formula: C₂₀H₃₀O₅ Mol. weight: 350.449 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Anemoside B4 	Botanical Source: Pulsatilla chinensis ReGel&Anemone CAS No: 129741-57-7 Catalogue No: A4637 Mol. formula: C₅₉H₉₆O₂₆ Mol. weight: 1221.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Pulchinenoside B4
Apigenin 	Botanical Source: Matricaria Recutita CAS No: 520-36-5 Catalogue No: A4069 Mol. formula: C₁₅H₁₀O₅ Mol. weight: 270.237 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 5, 7-Dihydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyran-4-one
Apigenin 	Botanical Source: Apium graveolens CAS No: 578-74-5 Catalogue No: A4071 Mol. formula: C₂₁H₂₀O₁₀ Mol. weight: 432.378 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Apigenin7-glucoside; Cosmosiin;Cosmetin
Apiin 	Botanical Source: Parsley CAS No: 26544-34-3 Catalogue No: A09024 Mol. formula: C₂₆H₂₈O₁₄ Mol. weight: 564.49 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Apigenin-7-apioglucoside; 7-((2-O-beta-D-Apiofuranosyl-beta-D-glucopyranosyl)oxy)-5-hydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyranone








20110614

Araloside V	Botanical Source:
	CAS No: 340963-86-2 Catalogue No: A4669
	Mol. formula: C ₅₄ H ₈₈ O ₂₃ Mol. weight: 1104
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Congmunoside V
Araloside X	Botanical Source:
	CAS No: 344911-90-6 Catalogue No: A4632
	Mol. formula: C ₆₀ H ₉₈ O ₂₈ Mol. weight: 1266
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Congmunoside X
Araloside VII	Botanical Source:
	CAS No: 340982-22-1 Catalogue No: A4633
	Mol. formula: C ₅₄ H ₈₈ O ₂₄ Mol. weight: 1120
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Congmunoside VII
Arbutin	Botanical Source: pear leaves(Pyrus communis)
	CAS No: 497-76-7 Catalogue No: A4073
	Mol. formula: C ₁₂ H ₁₆ O ₇ Mol. weight: 272.251
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 4-Hydroxyphenyl b-D-glucopyranoside
Arctigenin	Botanical Source: Arctium
	CAS No: 7770-78-7 Catalogue No: A10001
	Mol. formula: C ₂₁ H ₂₄ O ₆ Mol. weight: 372.41
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: (3R,4R)-4-[(3,4-Dimethoxyphenyl)methyl]dihydro-3-[(4-hydroxy-3-methoxyphenyl)]








20110614

Arctiin	Botanical Source: Arctium
	CAS No: 20362-31-6 Catalogue No: A10002 Mol. formula: C ₂₇ H ₃₄ O ₁₁ Mol. weight: 534.552 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Arctigenin-4-glucoside
Artemether	Botanical Source: Artemisia annua L. Leaves
	CAS No: 71963-77-4 Catalogue No: A4080 Mol. formula: C ₁₆ H ₂₆ O ₅ Mol. weight: 298.375 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Artemisinin	Botanical Source: Artemisia annua
	CAS No: 63968-64-9 Catalogue No: A4081 Mol. formula: C ₁₅ H ₂₂ O ₅ Mol. weight: 282.332 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Octahydro-3,6,9-trimethyl-3,12-epoxy-12H-pyrano[4,3-j]-1,2-benzodioxepin-10(3H)-one, 9Cl. Arteannuin. Qinghaosu. Qing Hau Sau. QHS
Asiatic acid	Botanical Source: Centella Asiatica
	CAS No: 464-92-6 Catalogue No: A07053 Mol. formula: C ₃₀ H ₄₈ O ₅ Mol. weight: 488.70 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms: Urs-12-en-28-oic acid, 2,3,23-trihydroxy-, (2alpha,3beta,4a lpha)-
Asiaticoside	Botanical Source: Centella Asiatica
	CAS No: 16830-15-2 Catalogue No: A07051 Mol. formula: C ₄₈ H ₇₈ O ₁₉ Mol. weight: 959.12 Purity: >95% 98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Madecassol; Asiaticosid;








20110614

Asperosaponin VI	Botanical Source: Akebia quinata, Lonicera nigra, Patrinia CAS No: 39524-08-8 Catalogue No: A4056 Mol. formula: C ₄₇ H ₇₆ O ₁₈ Mol. weight: 929.096 Purity: >95% 98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Akebiasaponin D
	
Astilbin	Botanical Source: Eucryphia cordifolia CAS No: 29838-67-3 Catalogue No: A030701 Mol. formula: C ₂₁ H ₂₂ O ₁₁ Mol. weight: 450.398 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Taxifolin 3-rhamnoside
	
Astragalin	Botanical Source: Bairuicao CAS No: 480-10-4 Catalogue No: A4087 Mol. formula: C ₂₁ H ₂₀ O ₁₁ Mol. weight: 448.377 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Kaempferol 3-O-beta-D-glucopyranoside
	
Astragaloside I	Botanical Source: Astragalus, Huang-qi etc. CAS No: 84860-75-1 Catalogue No: A031005 Mol. formula: C ₄₅ H ₇₂ O ₁₆ Mol. weight: 869.054 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Astrasieversianin IV. Cyclosieversioside B Cyclosiversioside B
	
Astragaloside II	Botanical Source: Astragalus, Huang-qi etc. CAS No: 84676-89-1 Catalogue No: A4088 Mol. formula: C ₄₃ H ₇₀ O ₁₅ Mol. weight: 827.007 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Astrasieversianin VIII. Cyclosieversioside D. Cyclosiversioside D
	








20110614

Astragaloside III	Botanical Source: Astragalus, Huang-qi etc.
	CAS No: 84687-42-3 Catalogue No: A4089 Mol. formula: C ₄₁ H ₆₈ O ₁₄ Mol. weight: 784.97 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g.. Synonyms:
Astragaloside IV(A)	Botanical Source: Astragalus, Huang-qi etc.
	CAS No: 83207-58-3 Catalogue No: A07022 Mol. formula: C ₄₁ H ₆₈ O ₁₄ Mol. weight: 784.97 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: Astramembrannin I, AstragalosideA, 84687-43-4
Atractylenolide I	Botanical Source: Atractylodes japonica
	CAS No: 73069-13-3 Catalogue No: A4091 Mol. formula: C ₁₅ H ₁₈ O ₂ Mol. weight: 230.306 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g.. Synonyms: 4(15),7(11),8-Eudesmatrien-12,8-olide.
Atractylenolide II	Botanical Source: Atractylodes japonica
	CAS No: 73069-14-4 Catalogue No: A3091 Mol. formula: C ₁₅ H ₂₀ O ₂ Mol. weight: 232.322 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg..... Synonyms:
Atractylenolide III	Botanical Source: Atractylodes japonica
	CAS No: 73030-71-4 Catalogue No: A4092 Mol. formula: C ₁₅ H ₂₀ O ₃ Mol. weight: 248.318 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g.. Synonyms: 8-Hydroxyasterolide. Codonolactone







20110614

aurantio-obtusin	Botanical Source: seeds of <i>Cassia obtusifolia</i>
	CAS No: 67979-25-3 Catalogue No: A4096 Mol. formula: C ₁₇ H ₁₄ O ₇ Mol. weight: 330.289 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g.. Synonyms: 1,3,7-Trihydroxy-2,8-dimethoxy-6-methylantrquinone
Baicalein	Botanical Source: <i>Scutellaria altissima</i> L.
	CAS No: 491-67-8 Catalogue No: B4099 Mol. formula: C ₁₅ H ₂₀ O ₅ Mol. weight: 270.237 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: 5,6,7-Trihydroxyflavone
Baicalin	Botanical Source: <i>Scutellaria altissima</i> L.
	CAS No: 21967-41-9 Catalogue No: B4100 Mol. formula: C ₂₁ H ₁₈ O ₁₁ Mol. weight: 446.367 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: 7-glucuronoside. Baicaloside
Baohuoside I	Botanical Source: <i>Epimedium grandiflorum</i> Morr
	CAS No: 113558-15-9 Catalogue No: B4615 Mol. formula: C ₂₇ H ₃₀ O ₁₀ Mol. weight: 514.52 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: ,7-dihydroxy-2-(4-methoxyphenyl)-8-(3-methyl but-2-en-1-yl)-3-(((2S,3R,4R,5R,6S)-3,4,5-trihydroxy-6-methyltetrahydro-2H-pyran-2-yl)oxy)-4 H-chromen-4-one
Barlerin	Botanical Source: <i>Barleria prionitis</i>
	CAS No: 57420-46-9 Catalogue No: B4638 Mol. formula: C ₁₉ H ₂₈ O ₁₂ Mol. weight: 448.42 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: 8-O-Acetyl shanzhiside methyl ester



20110614

Berberine	Botanical Source: Berberis and Mahonia spp. (Berberidaceae) very many other spp. in several different families
	CAS No: 2086-83-1 Catalogue No: B4106 Mol. formula: C₂₀H₁₈NO₄⁺ Mol. weight: 336.361 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: ,6-Dihydro-9,10-dimethoxybenzo[g]-1,3-benzodioxolo[5,6-a]quinolizinium(1+), 9Cl. Umbellatine. Berbericine. Natural yellow 18. C.I. 75160. Majarine
Berberine hydrochloride	Botanical Source:
	CAS No: 633-65-8 Catalogue No: B4107 Mol. formula: C₂₀H₁₈ClNO₄ Mol. weight: 371.814 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Berbinium, 7,8,13,13a-tetrahydro-9,10-dimethoxy-2,3-(methylenedioxy)-, chlori
Bergenin	Botanical Source: Bergenia purpurascens Engl.
	CAS No: 477-90-7 Catalogue No: B4109 Mol. formula: C₁₄H₁₆O₉ Mol. weight: 328.271 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: 3,4,4a,10b-Tetrahydro-3,4,8,10-tetrahydroxy-2-(hydroxymethyl)-9-methoxypyran[3,2-c][2]benzopyran-6(2H)-one, 9Cl. Ardisic acid B. Ardisinic acid. Bergenitol. Corylopsin. Cuscutin. Peltophorin. Vakerin
Betaine	Botanical Source: Evolvulus alsinoides L.
	CAS No: 107-43-7 Catalogue No: B4639 Mol. formula: C₅H₁₁NO₂ Mol. weight: 117.147 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Carboxy-N,N,N-trimethylmethanaminium hydroxide inner salt, 9Cl. (Carboxymethyl)trimethylammonium. Glycine betaine. Glycocoll betaine. Lycine. Abromine. Oxyneurine








20110614

Betaine hydrochloride	Botanical Source:
	CAS No: 590-46-5 Catalogue No: B4111 Mol. formula: C ₅ H ₁₁ ClNO ₂ ⁻ Mol. weight: 152.599 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Acidol; Lysine Hydrochloride; 1-Carboxy-N,N,N-trimethylmethanaminium, Chloride; Betaine Chloride
Betulin	Botanical Source: Betula Platyphylla
	CAS No: 473-98-3 Catalogue No: B4112 Mol. formula: C ₃₀ H ₅₀ O ₂ Mol. weight: 442.717 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Betulinol
Betulinic acid	Botanical Source: Betula alba L.
	CAS No: 472-15-1 Catalogue No: B4113 Mol. formula: C ₃₀ H ₄₈ O ₃ Mol. weight: 456.7 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Mairin
Betunaldehyde	Botanical Source: Betula alba L.
	CAS No: 13159-28-9 Catalogue No: B4640 Mol. formula: C ₃₀ H ₄₈ O ₂ Mol. weight: 440.708 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: 3b-hydroxy- Lup-20(30)-en-28-al; 3aH-Cyclopenta[a]chrysene; lup-20(29)-en-28-al deriv; Betulinal; Betulinic aldehyde; Betunal
(+)-Bicuculline	Botanical Source: Corydalis humosa Migo.
	CAS No: 485-49-4 Catalogue No: A4114 Mol. formula: C ₂₀ H ₁₇ NO ₆ Mol. weight: 367.352 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g.. Synonyms: (6R)-6-[(5S)-6-methyl-7,8-dihydro-5H-[1,3]dioxolo[4,5-g]isoquinolin-5-yl]-6H-fur








20110614

Bilirubin	Botanical Source:
	CAS No: 635-65-4 Catalogue No: B4641 Mol. formula: C ₃₃ H ₃₆ N ₄ O ₆ Mol. weight: 584.671 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Bilirubin IX. Haematoidin. Cholerythrin
Bilobalide	Botanical Source: leaves of Ginkgo biloba (ginkgo)
	CAS No: 33570-04-6 Catalogue No: B4115 Mol. formula: C ₁₅ H ₁₈ O ₈ Mol. weight: 326.299 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Bilobalide A
Biochanin A	Botanical Source: Red Clover (Trifolium pratense);
	CAS No: 491-80-5 Catalogue No: B09019 Mol. formula: C ₁₆ H ₁₂ O ₅ Mol. formula: 284.26 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 4'-methylgenistein; 5,7-dihydroxy-4'-methoxyisoflavone
Bisdemethoxycurcumin	Botanical Source: Curcuma longa L.
	CAS No: Catalogue No: B4116 Mol. formula: C ₁₉ H ₁₆ O ₄ Mol. formula: 308.32794 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Curcumin III
Brucine	Botanical Source: Princeton WordNet
	CAS No: 357-57-3 Catalogue No: B4117 Mol. formula: C ₂₃ H ₂₆ N ₂ O ₄ Mol. formula: 394.464 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Vauquiline








20110614

Bulleyaconi cine A 	Botanical Source: Aconitumkusnezoffii Reichb CAS No: 107668-79-1 Catalogue No: B4124 Mol. formula: C₃₅H₄₉NO₉ Mol. formula: 627.765 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Bulleyaconitine A
(+)-Corynoline 	Botanical Source: Cordalis bungeana Turez. CAS No: 18797-79-0 Catalogue No: C4170 Mol. formula: C₂₁H₂₁NO₅ Mol. formula: 367.395 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Corynoline
Caffeic acid 	Botanical Source: Crataegus pinnatifida Bge. CAS No: 331-39-5 Catalogue No: C4129 Mol. formula: C₉H₈O₄ Mol. weight: 180.157 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g... Synonyms: 3-(3,4-Dihydroxyphenyl)-2-propenoic acid
Caftaric acid 	Botanical Source: Echinacea Angustifolia CAS No: 67879-58-7 Catalogue No: C09001 Mol. formula: C₁₃H₁₂O₉ Mol. weight: 312.23 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: (2S,3R)-2-((E)-3-(3,4-dihydroxyphenyl)acryloyloxy)-3-hydroxysuccinic acid
Calycosin 	Botanical Source: Baptisia, Bowdichia, Cadia, Cladrastis, etc. CAS No: 20575-57-9 Catalogue No: C4130 Mol. formula: C₁₆H₁₂O₅ Mol. weight: 284.263 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 3',7-Dihydroxy-4'-methoxyisoflavone. Calycosin. 3-Hydroxyformononetin. Cyclosin








20110614

Calycosin-7-glucoside	Botanical Source: Astragalus membranaceus (Fisch.) Bge. var. mongholicus (Bge.) Hsiao CAS No: 20633-67-4 Catalogue No: C4642 Mol. formula: C ₂₂ H ₂₂ O ₁₀ Mol. weight: 446.40 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
	
Camptothecine	Botanical Source: Camptotheca acuminata Decne. CAS No: 7689-3-4 Catalogue No: C4592 Mol. formula: C ₂₀ H ₁₆ N ₂ O ₄ Mol. weight: 348.352 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Camptothecin
	
Camptothecine	Botanical Source: Lytta vesicatoria CAS No: 56-25-7 Catalogue No: C4133 Mol. formula: C ₁₀ H ₁₂ O ₄ Mol. weight: 196.2 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Hexahydro-3a,7a-dimethyl-4,7-epoxyisobenzofuran-1,3-dione, 9Cl. Cantharides camphor. Cantharone
	
Cantharidin	Botanical Source: Solanaceae plants mature pepper fruit CAS No: 404-86-4 Catalogue No: C4135 Mol. formula: C ₁₈ H ₂₇ NO ₃ Mol. weight: 305.416 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: N-[(4-Hydroxy-3-methoxyphenyl)methyl]-8-methyl-6-nonenamide
	
Carnosic acid	Botanical Source: Rosemary CAS No: 3650-09-7 Catalogue No: C08040 Mol. formula: C ₂₀ H ₂₈ O ₄ Mol. weight: 332.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (4aR,10aS)-5,6-dihydroxy-1,1-dimethyl-7-propan-2-yl-2,3,4,9,10,10a-hexahydrophenanthrene-4a-carboxylic acid
	








20110614

Carnosol	Botanical Source: Rosmarinus officinalis L.
	CAS No: 5957-80-2 Catalogue No: C4643 Mol. formula: C ₂₀ H ₂₆ O ₄ Mol. weight: 330.42 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 11,12-Dihydroxy-8,11,13-abietatrien-20,7-olide. Picrosalvin
β -Carotene	Botanical Source: Dunaliella salina
	CAS No: 7235-40-7 Catalogue No: C4139 Mol. formula: C ₄₀ H ₅₆ Mol. weight: 536.873 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Betacarotene, INN, USAN. Carotaben. Phenoro. Solatene. , -Carotene. Provatene. E160a
Casticin (Vitexicarpin)	Botanical Source: Simpleleaf Shrub Chastetree Fruit
	CAS No: 479-91-4 Catalogue No: C07067 Mol. formula: C ₁₉ H ₁₈ O ₈ Mol. weight: 374.34 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Vitexicarpin; 3',5-Dihydroxy-3,4',6,7-tetramethoxyflavone;
(+)-Catechin Hydrate	Botanical Source: Green Tea
	CAS No: 7295-85-4 Catalogue No: C279 Mol. formula: C ₁₅ H ₁₄ O ₆ Mol. weight: 290.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 3,3',4',5,7-Pentahydroxyflavane; 2-(3,4-Dihydroxyphenyl)-3,4-dihydro-1(2H)-benzopyran-3,5,7-triol
(+)Catechin	Botanical Source: Green Tea
	CAS No: 154-23-4 Catalogue No: C08033 Mol. formula: C ₁₅ H ₁₄ O ₆ Mol. weight: 290.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: trans-3,3',4',5,7-Pentahydroxyflavane;








20110614

Catalpol	Botanical Source: Rehmannia glutinosa Libosch.
	CAS No: 2415-24-9 Catalogue No: C4140 Mol. formula: C ₁₅ H ₂₂ O ₁₀ Mol. weight: 362.329 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Catalpol
Catechin gallate	Botanical Source: Green Tea
	CAS No: 130405-40-2 Catalogue No: C08035 Mol. formula: C ₂₂ H ₁₈ O ₁₀ Mol. weight: 442.37 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (2S,3R)-2-(3,4-Dihydroxyphenyl)-3,4-dihydro-1(2H)-benzopyran-3,5,7-triol 3-(3,4,5-trihydroxybenzoate)
Catharanthine	Botanical Source: Catharanthus roseus (L.)G.Don
	CAS No: 2468-21-5 Catalogue No: C4141 Mol. formula: C ₂₁ H ₂₄ N ₂ O ₂ Mol. weight: 336.427 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Catharanthin, (+)-3,4-Didehydrocoronaridine
Celastrol	Botanical Source: Tripterygium wilfordii Hook. f. (leigongteng)
	CAS No: 34157-83-0 Catalogue No: C07059 Mol. formula: C ₂₉ H ₃₈ O ₄ Mol. weight: 450.61 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Tripterin; Tripterine; 3-Hydroxy-24-nor-2-oxo-1(10),3,5,7-friedelatetraen-29-oic acid;
Cepharanthine	Botanical Source: Stephania japonica (Thunb.)Miers
	CAS No: 481-49-2 Catalogue No: C4145 Mol. formula: C ₃₇ H ₃₈ N ₂ O ₆ Mol. weight: 606.707 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 6',12'-Dimethoxy-2,2'-dimethyl-6,7-[methylenebis(oxy)]oxyacanthan








20110614

Chelerythrine	Botanical Source: Toddalia asiatica (L.)Lam.
	CAS No: 34316-15-9 Catalogue No: C4147 Mol. formula: C ₂₁ H ₁₈ NO ₄ ⁺ Mol. weight: 348.377 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 1,2-Dimethoxy-12-methyl[1,3]benzodioxolo[5,6-c]phenanthridinium(1+)
Chicoric acid	Botanical Source: Echinacea Angustifolia; Asteraceae
	CAS No: 70831-56-0 Catalogue No: C07077 Mol. formula: C ₂₂ H ₁₈ O ₁₂ Mol. weight: 474.37112 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: cichoric acid; dicaffeoyltartaric acid
Chlorogenic acid	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 327-97-9 Catalogue No: C07007 Mol. formula: C ₁₆ H ₁₈ O ₉ Mol. weight: 354.31 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 3-Caffeoylquinic acid; 3-O-Caffeoylquinic acid; 5-O-(3,4-Dihydroxycinnamoyl)-L-quinic acid
Chrysin	Botanical Source: Oroxylum indicum(L.)Vent.
	CAS No: 480-40-0 Catalogue No: C4150 Mol. formula: C ₁₅ H ₁₀ O ₄ Mol. weight: 254.238 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 5,7-Dihydroxyflavone
Chrysophanol	Botanical Source: Rheum palmatum L.
	CAS No: 481-74-3 Catalogue No: C4151 Mol. formula: C ₁₅ H ₁₀ O ₄ Mol. weight: 254.238 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Chrysophanic acid,3-methylchrysazin








20110614

cimifugin	Botanical Source: Cimicfuga goetida L CAS No: 37921-38-3 Catalogue No: C4152 Mol. formula: C₁₆H₁₈O₆ Mol. weight: 306.311 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Cimitin
	
Cinnamic acid	Botanical Source: Acanthopanax senticosus Harms CAS No: 140-10-3 Catalogue No: C4157 Mol. formula: C₉H₈O₂ Mol. weight: 148.159 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: BETA-PHENYLACRYLIC ACID
	
Ciwujianoside-B	Botanical Source: Scrophularia ningpoensis Hemsl. CAS No: 114902-16-8 Catalogue No: C4160 Mol. formula: C₅₈H₉₂O₂₅ Mol. weight: 1,189.34 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: acanthopanax senticosides B
	
Clinodiside A	Botanical Source: CAS No: 916347-31-4 Catalogue No: C4644 Mol. formula: C₄₈H₇₈O₁₉ Mol. weight: 959.12 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
	
Colchicine	Botanical Source: Iphigenia indica A. Gray CAS No: 64-86-8 Catalogue No: C4162 Mol. formula: C₂₂H₂₅NO₆ Mol. weight: 399.437 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
	








20110614

Complanatoside A	Botanical Source: the needles of Picea abies
	CAS No: 146501-37-3 Catalogue No: C4645 Mol. formula: C ₂₈ H ₃₂ O ₁₆ Mol. weight: 624.17 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Coptisine	Botanical Source: Coptis japonica (Ranunculaceae)
	CAS No: 3486-66-6 Catalogue No: C4166 Mol. formula: C ₁₉ H ₁₄ NO ₄ Mol. weight: 320.319 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g... Synonyms: ,7-Dihydrobis[1,3]benzodioxolo[5,6-a:4',5'-g]quinolizinium, 9Cl. 2,3:9,10-Bismethylenedioxyprotoberberinelate) 1-(3,4,5-trihydroxybenzoate), (R)-
Coptisine chloride	Botanical Source: Coptis chinensis Franch.
	CAS No: 6020-18-4 Catalogue No: C4167 Mol. formula: C ₁₉ H ₁₄ ClNO ₄ Mol. weight: 355.772 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Cordycepin	Botanical Source: Cordyceps.
	CAS No: 73-03-0 Catalogue No: C08055 Mol. formula: C ₁₀ H ₁₃ N ₅ O ₃ Mol. weight: 251.24 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 3'-Deoxyadenosine; 9-Cordyceposidoadenine; Cordycepine; ADENOSINE,3'-DEOXY-; 9H-Purine, 6-amino-9-(3-deoxy-beta-D-ribofuranosyl)-;
Corilagin	Botanical Source: Phyllanthus urinaria Linn.(Underleaf pearl)
	CAS No: 23094-69-1 Catalogue No: C4168 Mol. formula: C ₂₇ H ₂₂ O ₁₈ Mol. weight: 634.453 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g... Synonyms: beta-D-Glucopyranose, cyclic 3,6-(4,4',5,5',6,6'-hexahydroxy(1,1'-biphenyl)-2,2'-dicarboxylate) 1-(3,4,5-trihydroxybenzoate), (R)-








20110614

Corosolic acid	Botanical Source: <i>L. speciosa</i> L.
	CAS No: 4547-24-4 Catalogue No: C09015
	Mol. formula: C ₁₆ H ₁₈ O ₉ Mol. weight: 472.70
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: 2- α -Hydroxyursolic acid; (2a,3b)-2,3-Dihydroxy-urs-12-en-28-oic acid;
Coumarin	Botanical Source: <i>Cnidium monnieri</i> (L.) Cuss.
	CAS No: 91-64-5 Catalogue No: C4173
	Mol. formula: C ₉ H ₆ O ₂ Mol. weight: 146.143
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: chromen-2-one
p-Coumaric acid	Botanical Source: <i>Fagopyrum Cymosum</i> Meisn
	CAS No: 501-98-4 Catalogue No: C4412
	Mol. formula: C ₉ H ₈ O ₃ Mol. weight: 164.158
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: 4-Hydroxycinnamic acid
Crocin I	Botanical Source: <i>Crocus sativus</i> L.
	CAS No: 42553-65-1 Catalogue No: C07063
	Mol. formula: C ₄₄ H ₆₄ O ₂₄ Mol. weight: 976.96
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Crocetin digentibiose ester; Saffron; α -Crocin; Gardenin
Crocin II	Botanical Source: <i>Crocus sativus</i> L.
	CAS No: 55750-84-0 Catalogue No: C4176
	Mol. formula: C ₃₈ H ₅₄ O ₁₉ Mol. weight: 814.83
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:








20110614

Crotaline	Botanical Source: Crotalaria sessiliflora L.
	CAS No: 315-22-0 Catalogue No: C4364
	Mol. formula: C ₁₆ H ₂₃ NO ₆ Mol. weight: 325.357
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Monocrotaline
Crotonoside	Botanical Source: Dialula sandiegensis
	CAS No: 1818-71-9 Catalogue No: C4177
	Mol. formula: C ₁₀ H ₁₃ N ₅ O ₅ Mol. weight: 283.241
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Isoguanosine
Cryptochlorogenic acid	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 905-99-7 Catalogue No: C07009
	Mol. formula: C ₁₆ H ₁₈ O ₉ Mol. weight: 354.31
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: 4-caffeoylquinic acid
Cryptotanshinone	Botanical Source: Salvia miltiorrhiza Bge.
	CAS No: 35825-57-1 Catalogue No: C4178
	Mol. formula: C ₁₉ H ₂₀ O ₃ Mol. weight: 296.36
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: (1R)-1,6,6-trimethyl-2,7,8,9-tetrahydro-1H-naphtho[1,2-g][1]benzofuran-10,11-dio
Cucarbitacin B	Botanical Source: Cucurbitaceae
	CAS No: 6199-67-3 Catalogue No: C4179
	Mol. formula: C ₃₂ H ₄₆ O ₈ Mol. weight: 558.703
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: (1R)-1,6,6-trimethyl-2,7,8,9-tetrahydro-1H-naphtho[1,2-g][1]benzofuran-10,11-dio








20110614

Curcumin	Botanical Source: Curcuma aromatica Salisb.
	CAS No: 458-37-7 Catalogue No: C08057
	Mol. formula: C ₂₁ H ₂₀ O ₆ Mol. weight: 368.38
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: diferuloylmethane; (1E,6E)-1,7-bis(4-hydroxy-3-methoxyphenyl)-1,6-heptadiene-3,5-dione
Curcumol	Botanical Source: Curcuam kwangsiensis S.G.Leset C.F.Liang
	CAS No: 4871-97-0 Catalogue No: C08050
	Mol. formula: C ₁₅ H ₂₄ O ₂ Mol. weight: 236.35
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: (3S-(3alpha,3aalpha,5alpha,6alpha,8abeta))-Octahydro-3-methyl-8-methylene-5-(1-methylethyl)-6H-3a,6-epoxyazulen-6-ol
Curdione	Botanical Source: Curcuma zedoaria(Berg.)Rosc.
	CAS No: 13657-68-6 Catalogue No: C4629
	Mol. formula: C ₁₅ H ₂₄ O ₂ Mol. weight: 236.35
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g...
	Synonyms: Germacr-1(10)-ene-5,8-dione
Cynarin(1,3-Dicaffeoylquinic	Botanical Source: Artichoke(Cynarascolymus L.)
	CAS No: 1182-34-9 Catalogue No: C07013
	Mol. formula: C ₂₅ H ₂₄ O ₁₂ Mol. weight: 516.46
	Purity: >98% by HPLC
	Package: 20mg, 50mg,100mg,1g,10g,100g,1kg...
	Synonyms: 1,3-Dicaffeoylquinic acid; Cynarine
cyanidin-3-O-glucoside	Botanical Source: Glycine soja sieb.Et Zuce
	CAS No: 7084-24-4 Catalogue No: K4327
	Mol. formula: C ₂₁ H ₂₁ O ₁₁ Mol. weight: 449.38
	Purity: >98% by HPLC
	Package: 20mg, 50mg,100mg,1g,10g,100g,1kg...
	Synonyms: Esculetin








20110614

Cyanidin Chloride	Botanical Source: Rhododendron spp., Vaccinium spp., Polygonum spp. and black tea
	CAS No: 528-58-5 Catalogue No: C4181 Mol. formula: C₁₅H₁₁ClO₆ Mol. weight: 322.697 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms: 2-(3,4-Dihydroxyphenyl)-3,5,7-trihydroxy-1-benzopyrylium(1+), 9Cl. Cyanidin. Cyanidol
Cyasterone	Botanical Source: Cyathula capitata and Ajuga spp.
	CAS No: 17086-76-9 Catalogue No: C376 Mol. formula: C₂₉H₄₄O₈ Mol. weight: 520.662 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms: 2,3,14,20,22,28-Hexahydroxy-6-oxostigmast-7-en-26-oic acid -lactone
Cytisine	Botanical Source: Cytisus laburnum, many other Cytisus
	CAS No: 485-35-8 Catalogue No: C4188 Mol. formula: C₁₁H₁₄N₂O Mol. weight: 190.242 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms:
Daidzin	Botanical Source: Soybean
	CAS No: 552-66-9 Catalogue No: D07001 Mol. formula: C₂₁H₂₀O₉ Mol. weight: 416.38 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: Daidzein-7-O-β-D-glucoside
Daidzein	Botanical Source: Soybean
	CAS No: 486-66-8 Catalogue No: D07006 Mol. formula: C₁₅H₁₀O₄ Mol. weight: 254.24 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: 4',7-Dihydroxyisoflavone








20110614

Daphnetin	Botanical Source: Daphne Korean Nakai
	CAS No: 486-35-1 Catalogue No: D4189 Mol. formula: C ₉ H ₆ O ₄ Mol. weight: 178.142 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 7,8-dihydroxy-coumari
Dauricine	Botanical Source: Menispermum dauricum,
	CAS No: 524-17-4 Catalogue No: D4190 Mol. formula: C ₃₈ H ₄₄ N ₂ O ₆ Mol. weight: 624.766 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 6,6'-Di-O-methylauricoline
Deapioplatycodin D	Botanical Source: Platycodon grandiflorum
	CAS No: 78763-58-3 Catalogue No: D4697 Mol. formula: C ₅₂ H ₈₄ O ₂₄ Mol. weight: 1093.221 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Dehydroandrographolide	Botanical Source: Andrographis Paniculata Nees,
	CAS No: 134418-28-3 Catalogue No: D4195 Mol. formula: C ₂₀ H ₂₈ O ₅ Mol. weight: 348.433 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Demethoxycurcumin	Botanical Source: Curcuma longa L.
	CAS No: 22608-11-3 Catalogue No: D4199 Mol. formula: C ₂₀ H ₁₈ O ₅ Mol. weight: 338.354 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 1-(4-Hydroxy-3-methoxyphenyl)-7-(4-hydroxyphenyl)-1,6-h eptadiene-3,5-dione








20110614

Demethylzeylasteral	Botanical Source: Tripterygium wilfordii Hook. f.
	CAS No: 107316-88-1 Catalogue No: D08036
	Mol. formula: C ₂₉ H ₃₆ O ₆ Mol. weight: 480.59
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms:
Dendrobine	Botanical Source: Dendrobium spp., esp. Dendrobium nobile
	CAS No: 2115-91-5 Catalogue No: D4684
	Mol. formula: C ₁₆ H ₂₅ NO ₂ Mol. weight: 263.379
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms: Dendroban-12-one, 9CI
Desacetyl asperulosidic acid	Botanical Source: Morinda officinalis How.
	CAS No: 14259-55-3 Catalogue No: D4684
	Mol. formula: C ₁₆ H ₂₂ O ₁₁ Mol. weight: 390.343
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms:
Dictamine	Botanical Source: Dictamnus dasycarpus Turcz
	CAS No: 484-29-7 Catalogue No: D4201
	Mol. formula: C ₁₂ H ₉ NO ₂ Mol. weight: 199.205
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg...
	Synonyms: Dictamnine
Dihydrocapsaicin	Botanical Source: Minor constit. of natural Capsaicin
	CAS No: 19408-84-5 Catalogue No: C4204
	Mol. formula: C ₁₈ H ₂₉ NO ₃ Mol. weight: 307.428
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg...
	Synonyms: N-[(4-Hydroxy-3-methoxyphenyl)methyl]-8-methylnonanamide








20110614

Dihydroartemisinin	Botanical Source: <i>Artemisia annua</i> L.
	CAS No: 71939-50-9 Catalogue No: D4203 Mol. formula: C ₁₅ H ₂₄ O ₅ Mol. weight: 284.348 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Dihydro Artemisinin, Dihydroqinghoasu
Dihydrotanshinone I	Botanical Source: <i>Salvia miltiorrhiza</i> Bge.
	CAS No: 87205-99-0, 20958-19-4 Catalogue No: D4686 Mol. formula: C ₁₈ H ₁₄ O ₃ Mol. weight: 278.30 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Dihydromyricetin	Botanical Source: <i>Soyimida febrifuga</i> , <i>Rhododendron</i> spp.,
	CAS No: 27200-12-0 Catalogue No: D4208 Mol. formula: C ₁₅ H ₁₂ O ₈ Mol. weight: 320.251 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Dimethylfraxetin	Botanical Source: trunkwood of <i>Fagara macrophylla</i>
	CAS No: 6035-49-0 Catalogue No: D4685 Mol. formula: C ₁₂ H ₁₂ O ₅ Mol. weight: 236.22 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: O,O-dimethylfraxetin; 6,7,8-trimethoxycoumarin; 2H-1-Benzopyran-2-one,
Diosgenin	Botanical Source: <i>Dioscorea</i> spp., <i>Solanum</i> spp.
	CAS No: 512-04-9 Catalogue No: D4211 Mol. formula: C ₂₇ H ₄₂ O ₃ Mol. weight: 414.621 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Nitogenin. <i>Dioscorea</i> sapogenin








20110614

Diosgenin glucoside	Botanical Source: Dioscorea spp., Yucca spp.,
	CAS No: 14144-06-0 Catalogue No: P4440 Mol. formula: C ₃₃ H ₅₂ O ₈ Mol. weight: 576.761 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Polyphyllin A, Trillin
Diosmetin-7-O-β-D-glucopyranoside	Botanical Source: Galium spp., Chrysanthemum sp. and Cassia sp.
	CAS No: 20126-59-4 Catalogue No: D4600 Mol. formula: C ₂₂ H ₂₂ O ₁₁ Mol. weight: 462.409 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Diosmetin-7-glucoside
Dioscin	Botanical Source: Dioscorea zingiberensis C.H. Wright
	CAS No: 19057-60-4 Catalogue No: D4210 Mol. formula: C ₄₅ H ₇₂ O ₁₆ Mol. weight: 869.044 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Diosimin	Botanical Source: Zanthoxylum avicennae, Diosma
	CAS No: 520-27-4 Catalogue No: D4213 Mol. formula: C ₂₈ H ₃₂ O ₁₅ Mol. weight: 608.545 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: Diosmetin 7-rutinoside, Daflon. Ven-Detrex. Salinigriflavanolloside. Barosmin
Ecdysterone	Botanical Source: Cyanotis Arachnodea C.B. Clarke
	CAS No: 5289-74-7 Catalogue No: B4110 Mol. formula: C ₂₇ H ₄₄ O ₇ Mol. weight: 480.634 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Crustecdysone, Beta-Ecdysterone








20110614

Echinacoside	Botanical Source: Echinacea Purpurea;
	CAS No: 82854-37-3 Catalogue No: E07066 Mol. formula: C ₃₅ H ₄₆ O ₂₀ Mol. weight: 786.73 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Echinocystic acid	Botanical Source: Albizia bracteata
	CAS No: 510-30-5 Catalogue No: E4689 Mol. formula: C ₃₀ H ₄₈ O ₄ Mol. weight: 472.707 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Eleutheroside A	Botanical Source: Acanthopanax senticosus(Rupr. et
	CAS No: 474-58-8 Catalogue No: E08050 Mol. formula: C ₃₅ H ₆₀ O ₆ Mol. weight: 576.85 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Lyoniside, Sitogluside
Eleutheroside B	Botanical Source: Acanthopanax senticosus(Rupr. et
	CAS No: 118-34-3 Catalogue No: E08051 Mol. formula: C ₁₇ H ₂₄ O ₉ Mol. weight: 372.37 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Syringin
Eleutheroside E	Botanical Source: Acanthopanax senticosus(Rupr. et
	CAS No: 39432-56-9 Catalogue No: E08052 Mol. formula: C ₃₄ H ₄₆ O ₁₈ Mol. weight: 742.72 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Liriodendrin








20110614

Ellagic acid	Botanical Source: Graviola
	CAS No: 476-66-4 Catalogue No: E4215 Mol. formula: C ₁₄ H ₆ O ₈ Mol. weight: 302.193 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 2,3,7,8-Tetrahydroxy[1]benzopyrano[5,4,3-cde][1]benzopyran-5,10-dione
Emodin	Botanical Source: Rheum palmatum L
	CAS No: 518-82-1 Catalogue No: E4216 Mol. formula: C ₁₅ H ₁₀ O ₅ Mol. weight: 270.241 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 1,3,8-Trihydroxy-6-methyl-9,10-anthracenedione
Engletin	Botanical Source: Engelhardtia, Eucalyptus, Eucryphia,
	CAS No: 572-31-6 Catalogue No: E4217 Mol. formula: C ₂₁ H ₂₂ O ₁₀ Mol. weight: 434.393 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Aromadendrin 3-rhamnoside
Epicatechin (EC)	Botanical Source: Green Tea
	CAS No: 490-46-0 Catalogue No: E08031 Mol. formula: C ₁₅ H ₁₄ O ₆ Mol. weight: 290.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (-)-cis-3,3',4',5,7-Pentahydroxyflavane; (2R,3R)-2-(3,4-Dihydroxyphenyl)-3,4-dihydro-1(2H)-benzopyran-3,5,7-triol
Epicatechin gallate (ECG)	Botanical Source: Green Tea
	CAS No: 1257-08-5 Catalogue No: E07019 Mol. formula: C ₂₂ H ₁₈ O ₁₀ Mol. weight: 442.4 Purity: >98% by HPLC Package: 50mg,100mg, 1g,10g, 100g,1kg,10kg... Synonyms: (-)-epicatechin gallate; ECG








20110614

Epigallocatechin (EGC)	Botanical Source: Green Tea
	CAS No: 970-74-1 Catalogue No: E07020 Mol. formula: C ₁₅ H ₁₄ O ₇ Mol. weight: 306.3 Purity: >98% by HPLC Package: 50mg,100mg, 1g,10g, 100g,1kg,10kg... Synonyms: (-)-epigallocatechin; EGC
Epigallocatechin gallate(EGCG)	Botanical Source: Green Tea
	CAS No: 989-51-5 Catalogue No: E07018 Mol. formula: C ₂₂ H ₁₈ O ₁₁ Mol. weight: 458.38 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: EGCG
Epigoitrin	Botanical Source: Radix Isatidis
	CAS No: 1072-93-1 Catalogue No: E08043 Mol. formula: C ₅ H ₇ NOS Mol. weight: 129.18 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (R)-5-Ethenyl-2-oxazolidinethione;(R)-Goitrin;D-Goitrin
Epimedin A	Botanical Source: Epimedium grandiflorum Morr.
	CAS No: 110623-72-8 Catalogue No: E07041 Mol. formula: C ₃₉ H ₅₀ O ₂₀ Mol. weight: 838.80 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms:
Epimedin B	Botanical Source: Epimedium grandiflorum Morr.
	CAS No: 110623-73-9 Catalogue No: E07042 Mol. formula: C ₃₈ H ₄₈ O ₁₉ Mol. weight: 808.78 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms:








20110614

Epimedin C	Botanical Source: Epimedium grandiflorum Morr.
	CAS No: 110642-44-9 Catalogue No: E07043 Mol. formula: C ₃₉ H ₅₀ O ₁₉ Mol. weight: 822.80 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Eriocitrin	Botanical Source: Lemon Fruit
	CAS No: 13463-28-0 Catalogue No: E07073 Mol. formula: C ₂₇ H ₃₂ O ₁₅ Mol. weight: 596.53 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Eriodictioside ; Eriodictyol 7-O-rutinoside
Eriodictyol	Botanical Source: Lemon Fruit
	CAS No: 552-58-9 Catalogue No: E07074 Mol. formula: C ₁₅ H ₁₂ O ₆ Mol. weight: 288.25 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Eriodictiol ; (S)-3',4',5,7-Tetrahydroxyflavanone
Escin IA (Aescin IA)	Botanical Source: Horse chestnut
	CAS No: 123748-68-5 Catalogue No: E07055 Mol. formula: C ₅₅ H ₈₆ O ₂₄ Mol. weight: 1131.26 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g... Synonyms: Aescin IA
Escin IB (Aescin IB)	Botanical Source: Horse chestnut
	CAS No: 26339-90-2 Catalogue No: E07056 Mol. formula: C ₅₅ H ₈₆ O ₂₄ Mol. weight: 1131.26 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g... Synonyms: Aescin IB








20110614

Esculentoside A	Botanical Source: Phytolacca americana (pokeberry)
	CAS No: 65497-07-6 Catalogue No: E4223 Mol. formula: C ₄₂ H ₆₆ O ₁₆ Mol. weight: 826.964 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Phytolaccoside A
Esculentoside B	Botanical Source: Phytolacca americana (pokeberry)
	CAS No: 60820-94-2 Catalogue No: E4224 Mol. formula: C ₃₆ H ₅₆ O ₁₁ Mol. weight: 664.823 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Phytolaccoside B
Esculentoside C	Botanical Source: Phytolacca americana (pokeberry)
	CAS No: 65931-92-2 Catalogue No: E4225 Mol. formula: C ₄₂ H ₆₆ O ₁₅ Mol. weight: 810.964 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Phytolaccoside C
Esculentoside D	Botanical Source: Phytolacca americana (pokeberry)
	CAS No: 89808-50-4 Catalogue No: E4226 Mol. formula: C ₃₇ H ₅₈ O ₁₂ Mol. weight: 694.849 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Phytolaccoside D
Esculentoside E	Botanical Source: Phytolacca americana (pokeberry)
	CAS No: 65649-36-7 Catalogue No: E4227 Mol. formula: C ₃₅ H ₅₄ O ₁₁ Mol. weight: 650.797 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Phytolaccoside E








20110614

Esculin	Botanical Source: Fraxinus chinensis Roxb.
	CAS No: 531-75-9 Catalogue No: E4229
	Mol. formula: C ₁₅ H ₁₆ O ₉ Mol. weight: 340.282
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Aesculin
Ethyl ferulate	Botanical Source: Solanum melongena, Solanum
	CAS No: 4046-02-0 Catalogue No: F4230
	Mol. formula: C ₁₂ H ₁₄ O ₄ Mol. weight: 222.237
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:
Eugenol	Botanical Source: Eugenia caryophyllata Thunb.
	CAS No: 97-53-0 Catalogue No: E4231
	Mol. formula: C ₁₀ H ₁₂ O ₂ Mol. weight: 164.201
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Allylguaiacol
Eugenol	Botanical Source: Eugenia caryophyllata Thunb.
	CAS No: 97-53-0 Catalogue No: E4231
	Mol. formula: C ₁₀ H ₁₂ O ₂ Mol. weight: 164.201
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Allylguaiacol
Eupatilin	Botanical Source: Artemisia argyi Levl. et Vant.
	CAS No: 22368-21-4 Catalogue No: E4647
	Mol. formula: C ₁₈ H ₁₆ O ₇ Mol. weight: 344.32
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:








20110614

Evodiamine	Botanical Source: Evodia rutaecarpa (Juss.) Benth.
	CAS No: 518-17-2 Catalogue No: E4232 Mol. formula: C ₁₉ H ₁₇ N ₃ O Mol. weight: 303.358 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms:
Fangchinoline	Botanical Source: Stephania tetrandra S.Moore
	CAS No: 436-77-1 Catalogue No: F4234 Mol. formula: C ₃₇ H ₄₀ N ₂ O ₆ Mol. weight: 608.723 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Hanfangchin B
Fisetin	Botanical Source: Cotinus Coggygria
	CAS No: 528-48-3 Catalogue No: F4238 Mol. formula: C ₁₅ H ₁₀ O ₆ Mol. weight: 286.236 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: 3,7,3',4'-tetrahydroxyflavone
Formononetin	Botanical Source: Red Clover (Trifolium pratense);
	CAS No: 485-72-3 Catalogue No: F09020 Mol. formula: C ₁₆ H ₁₂ O ₄ Mol. weight: 268.27 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms: Biochanin B; 7-Hydroxy-3-(4-methoxyphenyl)chromone; 7-Hydroxy-4'-methoxyisoflavone; Daidein 4'-methyl ether
Forsythin	Botanical Source: Forsythia suspense(Thunb).Vahl
	CAS No: 487-41-2 Catalogue No: F4240 Mol. formula: C ₂₇ H ₃₄ O ₁₁ Mol. weight: 534.552 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms: Phillyrin, Phillyroside








20110614

Fraxetin	Botanical Source: Fraxinus brngeana DC.
	CAS No: 574-84-5 Catalogue No: F4242 Mol. formula: C ₁₀ H ₈ O ₅ Mol. weight: 208.168 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms:
Fraxinellone	Botanical Source: Dictamnus dasycarpus Turcz.
	CAS No: 28808-62-0 Catalogue No: F4244 Mol. formula: C ₁₄ H ₁₆ O ₃ Mol. weight: 232.275 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms:
Fumalic acid	Botanical Source: Angelica P.E.
	CAS No: 1135-24-6 Catalogue No: F4237 Mol. formula: C ₁₀ H ₁₀ O ₄ Mol. weight: 194.184 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms: Ferulic Acid
Gallic acid	Botanical Source: Kalanchoe bloesfeldiana
	CAS No: 149-91-7 Catalogue No: G274 Mol. formula: C ₇ H ₆ O ₅ Mol. weight: 170.12 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms: 3,4,5-Trihydroxybenzoic acid
Galocatechin(GC)	Botanical Source: Green Tea
	CAS No: 3371-27-5 Catalogue No: G08032 Mol. formula: C ₁₅ H ₁₄ O ₇ Mol. weight: 306.27 Purity: >98% by HPLC Package: 20mg,50mg,100mg, 1g,10g,100g... Synonyms: GC; (2S,3R)-2-(3,4,5-Trihydroxyphenyl)-3,4-dihydro-1(2H)-benzopyran-3,5,7-triol;








20110614

Galocatechin gallate (GCG)	Botanical Source: Green Tea
	CAS No: 4233-96-9 Catalogue No: G07021 Mol. formula: C ₂₂ H ₁₈ O ₁₁ Mol. weight: 458.4 Purity: >98% by HPLC Package: 10mg,20mg,50mg,100mg, 1g,10g... Synonyms: GCG
Gamma-mangostin	Botanical Source: Garcinia Mangostana (Mangosteen)
	CAS No: 31271-07-5 Catalogue No: M07061 Mol. formula: C ₂₃ H ₂₄ O ₆ Mol. weight: 396.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: γ-mangostin
Garcinone C	Botanical Source: Garcinia Mangostana(Mangosteen)
	CAS No: 76996-27-5 Catalogue No: G08005 Mol. formula: C ₂₃ H ₂₆ O ₇ Mol. weight: 414.45 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg,1g,10g... Synonyms:
Garcinone D	Botanical Source: Garcinia Mangostana(Mangosteen)
	CAS No: 107390-08-9 Catalogue No: G08004 Mol. formula: C ₂₃ H ₂₄ O ₆ Mol. weight: 428.48 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg,1g,10g... Synonyms:
Gastrodin	Botanical Source: Gastrodia elata BL
	CAS No: 62499-27-8 Catalogue No: G4251 Mol. formula: C ₁₃ H ₁₈ O ₇ Mol. weight: 286.278 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg,1g,10g... Synonyms:








20110614

Geniposide	Botanical Source: Gardenia jasminoides
	CAS No: 24512-63-8 Catalogue No: G4252 Mol. formula: C ₁₇ H ₂₄ O ₁₀ Mol. weight: 388.366 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms: Genipin 1-glucoside. Jasminoidin
Geniposidic acid	Botanical Source: Genipa americana (genipap)
	CAS No: 27741-01-1 Catalogue No: G4253 Mol. formula: C ₁₆ H ₂₂ O ₁₀ Mol. weight: 374.34 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms: Premnosidic acid
Genipin	Botanical Source: Genipa americana (genipap)
	CAS No: 6902-77-8 Catalogue No: G4687 Mol. formula: C ₁₁ H ₁₄ O ₅ Mol. weight: 226.229 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms:
Genistin	Botanical Source: Astragalus, Huang-qi etc.
	CAS No: 529-59-9 Catalogue No: G07003 Mol. formula: C ₂₁ H ₂₀ O ₁₀ Mol. weight: 432.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 4,5,7-Trihydroxyisoflavone 7-glucoside
Genistein	Botanical Source: Soybean
	CAS No: 446-72-0 Catalogue No: G07005 Mol. formula: C ₁₅ H ₁₀ O ₅ Mol. weight: 270.24 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms: 4',5,7-Trihydroxyisoflavone








20110614

Gentiopicrin	Botanical Source: Gentian Root
	CAS No: 20831-76-9 Catalogue No: G08042 Mol. formula: C ₁₆ H ₂₀ O ₉ Mol. weight: 356.33 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Gentiopicroside
Geraniin	Botanical Source: Phyllanthus urinaria Linn.(Underleaf)
	CAS No: 60976-49-0 Catalogue No: G4591 Mol. formula: C ₄₁ H ₂₈ O ₂₇ Mol. weight: 952.645 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms:
Germacrone	Botanical Source: Rhododendron dauricum L.
	CAS No: 6902-91-6 Catalogue No: G4254 Mol. formula: C ₁₅ H ₂₂ O Mol. weight: 218.335 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg,1g,10g... Synonyms:
Ginkgetin	Botanical Source: Selaginella tarmariscina(Beauv.)
	CAS No: 481-46-9 Catalogue No: G08028 Mol. formula: C ₃₂ H ₂₂ O ₁₀ Mol. weight: 566.51 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginkgolide A	Botanical Source: Ginkgo biloba Leaf P.E.
	CAS No: 15291-75-5 Catalogue No: G4255 Mol. formula: C ₂₀ H ₂₄ O ₉ Mol. weight: 408.399 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Ginkgolide B	Botanical Source: Ginkgo biloba
	CAS No: 15291-77-7 Catalogue No: G07039 Mol. formula: C ₂₀ H ₂₄ O ₁₀ Mol. weight: 424.40 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Ginkgolide C	Botanical Source: Ginkgo biloba (ginkgo)
	CAS No: 15291-76-6 Catalogue No: G4256 Mol. formula: C ₂₀ H ₂₄ O ₁₁ Mol. weight: 440.398 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Ginkgolide J	Botanical Source: Ginkgo biloba (ginkgo)
	CAS No: 107438-79-9 Catalogue No: G4257 Mol. formula: C ₂₀ H ₂₄ O ₁₀ Mol. weight: 424.399 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Ginsenoside CK	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 39262-14-1 Catalogue No: G4038 Mol. formula: C ₃₆ H ₆₂ O ₈ Mol. weight: 622.881 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: Compound K
Ginsenoside F1	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 53963-43-2 Catalogue No: G4258 Mol. formula: C ₃₆ H ₆₂ O ₉ Mol. weight: 638.872 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:








20110614

Ginsenoside F2	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 62025-49-4 Catalogue No: G4260 Mol. formula: C ₄₂ H ₇₂ O ₁₃ Mol. weight: 785.013 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Ginsenoside F3	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 62025-50-7 Catalogue No: G4646 Mol. formula: C ₄₁ H ₇₀ O ₁₃ Mol. weight: 770.996 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:
Ginsenoside Rb1	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 41753-43-9 Catalogue No: G4261 Mol. formula: C ₅₄ H ₉₂ O ₂₃ Mol. weight: 1109.29 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Sanchinoside E1. Gypenoside III. Gynosaponin C
Ginsenoside Rb2	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 11021-13-9 Catalogue No: G4262 Mol. formula: C ₅₃ H ₉₀ O ₂₂ Mol. weight: 1079.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rb3	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 68406-26-8 Catalogue No: G4263 Mol. formula: C ₅₃ H ₉₀ O ₂₂ Mol. weight: 1079.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Ginsenoside Rc	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 11021-14-0 Catalogue No: G4264 Mol. formula: C ₅₃ H ₉₀ O ₂₂ Mol. weight: 1079.27 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rd	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 52705-93-8 Catalogue No: G4265 Mol. formula: C ₄₈ H ₈₂ O ₁₈ Mol. weight: 947.154 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Re	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 52705-93-8 Catalogue No: G4266 Mol. formula: C ₄₈ H ₈₂ O ₁₈ Mol. weight: 947.154 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rf	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 52286-58-5 Catalogue No: G4267 Mol. formula: C ₄₂ H ₇₂ O ₁₄ Mol. weight: 801.013 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rg1	Botanical Source: Panax ginseng (ginseng)
	CAS No: 22427-39-0 Catalogue No: G4268 Mol. formula: C ₄₂ H ₇₂ O ₁₄ Mol. weight: 801.013 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:







20110614

Ginsenoside Rg2	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 52286-74-5 Catalogue No: G4269 Mol. formula: C ₄₂ H ₇₂ O ₁₃ Mol. weight: 785.013 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rg3	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 14197-60-5 Catalogue No: G4270 Mol. formula: C ₄₂ H ₇₂ O ₁₃ Mol. weight: 785.013 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rg4	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 126223-28-7 Catalogue No: Mol. formula: C ₄₂ H ₇₀ O ₁₂ Mol. weight: 767.008 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rg5	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 74964-14-0; 186763-78-0 Catalogue No: Mol. formula: C ₄₂ H ₇₀ O ₁₂ Mol. weight: 767.008 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rh1	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 63223-86-9 Catalogue No: G4271 Mol. formula: C ₃₆ H ₆₂ O ₉ Mol. weight: 638.872 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Ginsenoside Rh2	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 78214-33-2 Catalogue No: G4272 Mol. formula: C ₃₆ H ₆₂ O ₈ Mol. weight: 622.873 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rh3	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 105558-26-7 Catalogue No: G4273 Mol. formula: C ₃₆ H ₆₀ O ₇ Mol. weight: 604.857 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Rh4	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 174721-08-5 Catalogue No: Mol. formula: C ₃₆ H ₆₀ O ₈ Mol. weight: 620.865 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Ginsenoside Ro	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 34367-04-9 Catalogue No: G4274 Mol. formula: C ₄₈ H ₇₆ O ₁₉ Mol. weight: 957.106 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Glabridin	Botanical Source: Glycyrrhiza glabra L; Licorice Root
	CAS No: 59870-68-7 Catalogue No: G07078 Mol. formula: C ₂₀ H ₂₀ O ₄ Mol. weight: 324.3704 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms:







20110614

Glycitein	Botanical Source: Soybean
	CAS No: 40957-83-3
	Catalogue No: G07004
	Mol. formula: C ₁₆ H ₁₂ O ₅
	Mol. weight: 284.27
	Purity: >98% by HPLC
	Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg...
	Synonyms: 4',7-Dihydroxy-6-methoxyisoflavone
Glycitin	Botanical Source: Soybean
	CAS No: 40246-10-4
	Catalogue No: G07002
	Mol. formula: C ₂₂ H ₂₂ O ₁₀
	Mol. weight: 446.41
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: Glycitein-7-O-beta-D-glucopyranoside
Glycyrrhetic acid	Botanical Source: Licorice root(Radix Glycyrrhizae)
	CAS No: 471-53-4
	Catalogue No: G08056
	Mol. formula: C ₃₀ H ₄₆ O ₄
	Mol. weight: 470.68
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Enoxolone; Glycyrrhetin; Uralenic acid; Glycyrrhetinate; Arthrodon;
Glycyrrhizic acid	Botanical Source: Licorice root(Radix Glycyrrhizae)
	CAS No: 1405-86-3
	Catalogue No: G07023
	Mol. formula: C ₄₂ H ₆₂ O ₁₆
	Mol. weight: 822.93
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: Glycyrrhizin; Glycyrrhizinic acid
Gramine	Botanical Source: Arundo donax L.
	CAS No: 87-52-5
	Catalogue No: G4275
	Mol. formula: C ₁₁ H ₁₄ N ₂
	Mol. weight: 174.242
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms: N,N-Dimethyl-1H-indole-3-methanamine, 9Cl. Donaxine. Doranine








20110614

Gypenoside XLIX 	Botanical Source: Gynostemma pentaphyllum CAS No: 94987-08-3 Catalogue No: G4276 Mol. formula: C₅₂H₈₆O₂₁ Mol. weight: 1,047.23 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g... Synonyms:
Gypenoside XVII	Botanical Source: Gynostemma pentaphyllum and Panax spp. CAS No: 80321-69-3 Catalogue No: G4619 Mol. formula: C₄₈H₈₂O₁₈ Mol. weight: 947.165 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g... Synonyms:
Harpagoside 	Botanical Source: Harpagophytum procumbens D.C. CAS No: 19210-12-9 Catalogue No: H4280 Mol. formula: C₂₄H₃₀O₁₁ Mol. weight: 494.488 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms:
Herbacetin 	Botanical Source: Gossypium, Equisetum, Eupatorium CAS No: 527-95-7 Catalogue No: H4648 Mol. formula: C₁₅H₁₀O₇ Mol. weight: 302.24 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: 3,4',5,7,8-Pentahydroxyflavone;Isoarticulatidin; 8-Hydroxykaempferol
Hesperidin 	Botanical Source: Poncirus trifoliata (L.) CAS No: 520-26-3 Catalogue No: H4289 Mol. formula: C₂₈H₃₄O₁₅ Mol. weight: 610.561 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Cirantin, Hesperidoside








20110614

Hesperitin 	Botanical Source: Brickellia vernicosa, Persica vulgaris CAS No: 520-33-2 Catalogue No: H4288 Mol. formula: C₁₆H₁₄O₆ Mol. weight: 302.279 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms:
Hedera saponin B 	Botanical Source: CAS No: 36284-77-2 Catalogue No: H4649 Mol. formula: C₅₉H₉₆O₂₅ Mol. weight: 1205.39624 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Eleutheroside M, Hederacoside B, Hederacolchiside C
Hederagenin 	Botanical Source: Lonicera fulvotomentosa CAS No: 465-99-6 Catalogue No: H4282 Mol. formula: C₃₀H₄₈O₄ Mol. weight: 472.7 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Caulosapogenin
Helicid 	Botanical Source: Helicid hilgirica Beed CAS No: 80154-34-3 Catalogue No: H4286 Mol. formula: C₁₃H₁₆O₇ Mol. weight: 284.262 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Hiliedum
Homoharringtonine 	Botanical Source: Cephalotaxus fortunei P.E. CAS No: 26833-87-4 Catalogue No: H4291 Mol. formula: C₂₉H₃₉NO₉ Mol. weight: 545.621 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Homovanillic acid	Botanical Source:
	CAS No: 306-08-1 Catalogue No: H4292 Mol. formula: C ₉ H ₁₀ O ₄ Mol. weight: 182.173 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Honokiol	Botanical Source: Cortex Magnolia officinalis (Houpo)
	CAS No: 35354-74-6 Catalogue No: H07024 Mol. formula: C ₁₈ H ₁₈ O ₂ Mol. weight: 266.32 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: 3,5'-Diallyl-4,2'-dihydroxybiphenyl
Huperzine A	Botanical Source: Huperzia serrata
	CAS No: 102518-79-6 Catalogue No: H07025 Mol. formula: C ₁₅ H ₁₈ N ₂ O Mol. weight: 242.32 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g,1kg... Synonyms: Selagine
Hydroxytyrosol	Botanical Source: Olive
	CAS No: 10597-60-1 Catalogue No: H08010 Mol. formula: C ₈ H ₁₀ O ₃ Mol. weight: 154.16 Purity: >98% by HPLC Package: 20mg, 50mg,100mg, 1g,10g, 100g,1kg,10kg... Synonyms: 3-Hydroxytyrosol; 3,4-dihydroxyphenylethanol; 4-(2-Hydroxyethyl)-1,2-benzenediol
Hydroxysafflor yellow A	Botanical Source: safflower (Carthamus tinctorius)
	CAS No: 78281-02-4 Catalogue No: H4477 Mol. formula: C ₂₇ H ₃₂ O ₁₆ Mol. weight: 612.533 Purity: >98% by HPLC Package: 20mg, 50mg,100mg, 1g,10g, 100g,1kg,10kg... Synonyms: Safflomin A








20110614

Hypericin 	Botanical Source: Hypericum perforatum, St. Johns Wort CAS No: 548-04-9 Catalogue No: H07027 Mol. formula: C₃₀H₁₆O₈ Mol. weight: 504.45 Purity: >98% by HPLC Package: 20mg, 50mg,100mg, 1000mg,10g,100g... Synonyms:
Hyperoside 	Botanical Source: Hypericum perforatum, St. Johns Wort CAS No: 482-36-0 Catalogue No: H08002 Mol. formula: C₂₁H₂₀O₁₂ Mol. weight: 464.3763 Purity: >98% by HPLC Package: 20mg, 50mg,100mg, 1000mg,10g,100g... Synonyms: Hyperin; Hyperosid; Isoquercitrin; Hyperozide; Hyperasid; Quercetin 3-galactoside
Icariin 	Botanical Source: Epimedium grandiflorum Morr.; CAS No: 489-32-7 Catalogue No: I07044 Mol. formula: C₃₃H₄₀O₁₅ Mol. weight: 676.66 Purity: >98% by HPLC Package: 50mg,100mg,1g,10g,100g,1kg,10kg... Synonyms:
Imperatorin 	Botanical Source: Cnidium monnieri (L.) Cuss CAS No: 482-44-0 Catalogue No: I4297 Mol. formula: C₁₆H₁₄O₄ Mol. weight: 270.28 Purity: >98% by HPLC Package: 50mg,100mg,1g,10g,100g,1kg,10kg... Synonyms: Ammidin; Marmelosin; Pentosalen
Indigo 	Botanical Source: indigofera tinctoria; Murex trunculus CAS No: 482-89-3 Catalogue No: I4650 Mol. formula: C₁₆H₁₀N₂O₂ Mol. weight: 262.267 Purity: >98% by HPLC Package: 50mg,100mg,1g,10g,100g,1kg,10kg... Synonyms: Indigotin








20110614

Irisflorentin	Botanical Source: Iris florentina, germanica and tingitana CAS No: 41743-73-1 Catalogue No: I4301 Mol. formula: C ₂₀ H ₁₈ O ₈ Mol. weight: 386.352 Purity: >98% by HPLC Package: 50mg,100mg,1g,10g,100g,1kg,10kg... Synonyms: 3',4',5,5'-Tetramethoxy-6,7-methylenedioxyisoflavone
	
Isoacteoside	Botanical Source: Cistanche tubulosa CAS No: 61303-13-7 Catalogue No: I07072 Mol. formula: C ₂₉ H ₃₆ O ₁₅ Mol. weight: 624.59 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Acteoside isomer;
	
Isoalantolactone	Botanical Source: racemosa CAS No: 470-17-7 Catalogue No: I4302 Mol. formula: C ₁₅ H ₂₀ O ₂ Mol. weight: 232.318 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
	
Isoescsin IA(isoescsin IA)	Botanical Source: Horse chestnut CAS No: 219944-39-5 Catalogue No: E07057 Mol. formula: C ₅₅ H ₈₆ O ₂₄ Mol. weight: 1131.26 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g... Synonyms: Isoaescsin IA
	
Isoescsin IB(Isoaescsin IB)	Botanical Source: Horse chestnut CAS No: 219944-46-4 Catalogue No: E07058 Mol. formula: C ₅₅ H ₈₆ O ₂₄ Mol. weight: 1131.26 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g... Synonyms: Isoaescsin IB
	








20110614

Isoliquiritin	Botanical Source: Glycyrriza Uralensis Fisch.G.Glabra L
	CAS No: 5041-81-6 Catalogue No: I4599 Mol. formula: C ₂₁ H ₂₂ O ₉ Mol. weight: 418.399 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g... Synonyms: Isoliquiritoside
Isoliquiritigenin	Botanical Source: Glycyrrhiza uralensis Fisch.
	CAS No: 961-29-5 Catalogue No: I4309 Mol. formula: C ₁₅ H ₁₂ O ₄ Mol. weight: 256.253 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g... Synonyms:
Isolinderalactone	Botanical Source: radix linderae.
	CAS No: 728-61-0 Catalogue No: L4335 Mol. formula: C ₁₅ H ₁₆ O ₃ Mol. weight: 244.286 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g... Synonyms:
Isopsoralen	Botanical Source: Angelica archangelica
	CAS No: 523-50-2 Catalogue No: I4066 Mol. formula: C ₁₁ H ₆ O ₃ Mol. weight: 186.164 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Angelicin; Apiole
Isoquercitrin	Botanical Source: Apocynum lanci-folium Rus.
	CAS No: 21637-25-2 Catalogue No: I4311 Mol. formula: C ₂₁ H ₂₀ O ₁₂ Mol. weight: 464.376 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Cocaflavin. Isoquercitroside. Trifolin. Isotrifolin. Holarrhenoside








20110614

Isorhamnetin	Botanical Source: Hippophae flammoides L. CAS No: 480-19-3 Catalogue No: I4312 Mol. formula: C ₁₆ H ₁₂ O ₇ Mol. weight: 316.262 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 3,5,7-Trihydroxy-2-(4-hydroxy-3-methoxyphenyl)-4H-1-benzopyran-4-one
	
Isorhamnetin-3-O-β-D-Glucoside	Botanical Source: CAS No: 5041-82-7 Catalogue No: I4651 Mol. formula: C ₂₂ H ₂₂ O ₁₂ Mol. weight: 478.40 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Isorhamnetin 3-glucoside. 3-Glucosylisorhamnetin
	
Isorhynchophylline	Botanical Source: Mitragyna spp. (Nucleaceae) CAS No: 6859-1-4 Catalogue No: I4314 Mol. formula: C ₂₂ H ₂₈ N ₂ O ₄ Mol. weight: 384.469 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Isorhynchophylline
	
Isosilybin	Botanical Source: Silybum marianum (milk thistle) CAS No: 72581-71-6 Catalogue No: I4315 Mol. formula: C ₂₅ H ₂₂ O ₁₀ Mol. weight: 482.443 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
	
Isovitexin	Botanical Source: Hawthorn(Crataegus pinnatifida) CAS No: Catalogue No: I4317 Mol. formula: C ₂₁ H ₂₀ O ₁₀ Mol. weight: 432.378 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Homovitexin; Saponaretin; Apigenin-6-C-glucoside; 5,7-Dihydroxy-2-(4-hydroxy-phenyl)-6-((2S,3R,4R,5S,6R)-3,4,5-trihydroxy-6-hydroxymethyl-tetrahydro-pyran-2-yl)-chromen-4-one
	








20110614

Isochlorogenic acid A	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 2450-53-5 Catalogue No: I07010 Mol. formula: C ₂₅ H ₂₄ O ₁₂ Mol. weight: 516.46 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 3,5-Dicaffeoylquinic acid ; 3,5-Di-o-caffeoylquinic acid
Isochlorogenic acid B	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 14534-61-3 Catalogue No: I07011 Mol. formula: C ₂₅ H ₂₄ O ₁₂ Mol. weight: 516.46 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 3,4-Dicaffeoylquinic acid
Isochlorogenic acid C	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 32451-88-0 Catalogue No: I07012 Mol. formula: C ₂₅ H ₂₄ O ₁₂ Mol. weight: 516.46 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 4,5-Dicaffeoylquinic acid
Isoimperatorin	Botanical Source: A. dahurica (Fisch.) Benth. et Hook
	CAS No: 482-45-1 Catalogue No: I4307 Mol. formula: C ₁₆ H ₁₄ O ₄ Mol. weight: 270.28 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Isoorientin	Botanical Source: Bamboo leaves(Phyllostachys nigra)
	CAS No: 4261-42-1 Catalogue No: I09012 Mol. formula: C ₂₁ H ₂₀ O ₁₁ Mol. weight: 448.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Luteolin-6-C-glucoside; Homoorientin;








20110614

Isorhychophylline 	Botanical Source: Uncaria and Mitragyna spp. CAS No: 6859-01-4 Catalogue No: I4314 Mol. formula: C₂₂H₂₈N₂O₄ Mol. weight: 384.469 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Isorhamnetin-3-O-neohespeidoside 	Botanical Source: flowers of Narcissus tazetta CAS No: 55033-90-4 Catalogue No: I4313 Mol. formula: C₂₈H₃₂O₁₆ Mol. weight: 624.544 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Narcissin. Narcissoside
Isorhamnetin-3-O-β-D-rutinoside 	Botanical Source: flowers of Narcissus tazetta CAS No: 604-80-8 Catalogue No: I4652 Mol. formula: C₂₈H₃₂O₁₆ Mol. weight: 624.54 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Narcissoside, Narcissin
Jaceosidin 	Botanical Source: Artemisia argyi Levl. et Vant. CAS No: 18085-97-7 Catalogue No: J333 Mol. formula: C₁₇H₁₄O₇ Mol. weight: 330.289 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Jatrorrhizine 	Botanical Source: the root of Jateorhiza palmata CAS No: 3621-38-3 Catalogue No: J4318 Mol. formula: C₂₀H₂₀NO₄⁺ Mol. weight: 338.377 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Jatrorrhizine. Neprotine. Yatrorzine. Jateorhizine








20110614

Jatrorrhizine Hydrochloride 	Botanical Source: Tinospora sagittata (Oliv.) Gagnep. CAS No: 6681-15-8; 960383-96-4 Catalogue No: J4654 Mol. formula: C₂₀H₂₀ClNO₄ Mol. weight: 373.830 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Jujuboside A 	Botanical Source: seeds of Zizyphus jujuba (Chinese date) CAS No: 55466-04-1 Catalogue No: J4320 Mol. formula: C₅₈H₉₄O₂₆ Mol. weight: 1207.35 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Jujuboside B 	Botanical Source: seeds of Zizyphus jujuba (Chinese date) CAS No: 55466-05-2 Catalogue No: J4321 Mol. formula: C₅₂H₈₄O₂₁ Mol. weight: 1045.21 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Jujuboside D 	Botanical Source: seeds of Zizyphus jujuba (Chinese date) CAS No: 194851-84-8 Catalogue No: J4322 Mol. formula: C₅₈H₉₄O₂₆ Mol. weight: 1207.35 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Kaempferide 	Botanical Source: Kaempferia galanga CAS No: 491-54-3 Catalogue No: K4655 Mol. formula: C₁₆H₁₂O₆ Mol. weight: 300.267 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 3,5,7-Trihydroxy-4'-methoxyflavone








20110614

Kaempferol 	Botanical Source: Ginkgo biloba Leaf P.E. CAS No: 520-18-3 Catalogue No: K4323 Mol. formula: C₁₅H₁₀O₆ Mol. weight: 286.236 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Kaempferol-3-O-glucorhamnoside 	Botanical Source: Thesium chinense Turcz. CAS No: 482-39-3 Catalogue No: K4656 Mol. formula: C₂₁H₂₀O₁₀ Mol. weight: 432.383 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: AFZELIN; Kaempferol 3-rhamnoside; KAEMPFEROL 3-O-RHAMNOSIDE; KAEMPFEROL 3-O-GLUCORHAMNOSIDE;
L-4-Hydroxyisoleucine 	Botanical Source: Fenugreek seed CAS No: 6001-78-8(50764-07-3) Catalogue No: H07026 Mol. formula: C₆H₁₃NO₃ Mol. weight: 147.17 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg... Synonyms:
Lathyrol 	Botanical Source: Caper Euphorbia Seed CAS No: 34420-19-4 Catalogue No: L08044 Mol. formula: C₂₀H₃₀O₄ Mol. weight: 334.45 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms:
Levodopa 	Botanical Source: Mucuna cochinchinensis (Lour) A. Cheval. CAS No: 59-92-7 Catalogue No: L4330 Mol. formula: C₉H₁₁NO₄ Mol. weight: 197.188 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms: L-DOPA








20110614

Licochalcone A	Botanical Source: roots of Glycyrrhiza glabra (licorice)
	CAS No: 58749-22-7 Catalogue No: L4331 Mol. formula: C ₂₁ H ₂₂ O ₄ Mol. weight: 338.397 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms: 3-[5-(1,1-Dimethyl-2-propenyl)-4-hydroxy-2-methoxyphenyl]-1-(4-hydroxyphenyl)-2-propen-1-one, 9CI.5-(1,1-Dimethylallyl)-4,4'-dihydroxy-2-methoxychalcone
Ligustrazine Hydrochloride	Botanical Source: Ligusticum chuanxiong Hort
	CAS No: 1124-11-4 Catalogue No: L4333 Mol. formula: C ₈ H ₁₃ ClN ₂ Mol. weight: 172.655 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms: Chuanxiongazine Hydrochloride
Limonin	Botanical Source: Dictamnus dasycarpus Ture
	CAS No: 1180-71-8 Catalogue No: L4334 Mol. formula: C ₂₆ H ₃₀ O ₈ Mol. weight: 470.512 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms: Evodine
Linarin	Botanical Source: Cirsium setosum (Willd.) MB.
	CAS No: 480-36-4 Catalogue No: L4052 Mol. formula: C ₂₈ H ₃₂ O ₁₄ Mol. formula: 592.545 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Acaciin; Acacetin-7-O-b-D-rutinoside; Buddleoside
Linderane	Botanical Source: Lindera aggregata (Sims) Kosterm.
	CAS No: 13476-25-0 Catalogue No: L4336 Mol. formula: C ₁₅ H ₁₆ O ₄ Mol. weight: 260.285 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms:








20110614

Liquidambaric acid	Botanical Source: Akania lucens
	CAS No: 4481-62-3 Catalogue No: L4337 Mol. formula: C ₃₀ H ₄₆ O ₃ Mol. weight: 454.684 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms:
Liquiritigenin	Botanical Source: Licorice root(Radix Glycyrrhizae)
	CAS No: 578-86-9 Catalogue No: L09026 Mol. formula: C ₁₅ H ₁₂ O ₄ Mol. weight: 265.258 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms: 4',7-Dihydroxyflavanone; (2S)-7-Hydroxy-2-(4-hydroxyphenyl)-2,3-dihydro-4H-1-benzopyran-4-one
Liquiritin	Botanical Source: Licorice root(Radix Glycyrrhizae)
	CAS No: 551-15-5 Catalogue No: L09027 Mol. formula: C ₂₁ H ₂₂ O ₉ Mol. weight: 418.39 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms: Liquiritoside; 7-Hydroxyflavanone 4'-O-glucoside; 4',7-Dihydroxyflavanone 4'-(beta-D-glucoside)
Lobetyolin	Botanical Source: Licorice root(Radix Glycyrrhizae)
	CAS No: 136085-37-5 Catalogue No: L4338 Mol. formula: C ₂₀ H ₂₈ O ₈ Mol. weight: 396.432 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms:
Loganin	Botanical Source: Comus officinalis Sieb.et Zucc
	CAS No: 18524-94-2 Catalogue No: L4339 Mol. formula: C ₁₇ H ₂₆ O ₁₀ Mol. weight: 390.382 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg, 10g Synonyms:








20110614

Luteoloside	Botanical Source: Flos Lonicerae
	CAS No: 5373-11-5 Catalogue No: L07037
	Mol. formula: C ₂₁ H ₂₀ O ₁₁ Mol. weight: 448.38
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Luteolin-7-O-glucoside ; Cynaroside;
Luteolin	Botanical Source: Txeris grailis stebb
	CAS No: 491-70-3 Catalogue No: L4344
	Mol. formula: C ₁₅ H ₁₀ O ₆ Mol. weight: 286.236
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: 3',4',5,7-Tetrahydroxyflavone
Lupeol	Botanical Source: Lupinus polyphyllus
	CAS No: 545-47-1 Catalogue No: L4342
	Mol. formula: C ₃₀ H ₅₀ O Mol. weight: 426.717
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Fagarasterol
Lycorine chloride	Botanical Source: Lycoris radiata (L. Herit.) Herb
	CAS No: 2188-68-3 Catalogue No: L4350
	Mol. formula: C ₁₆ H ₁₇ NO ₄ Mol. weight: 287.31
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:
(±)-Maackiain	Botanical Source: Sophora japonica
	CAS No: 19908-48-6 Catalogue No: M4657
	Mol. formula: C ₁₆ H ₁₂ O ₅ Mol. weight: 284.268
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:








20110614

Macranthoidin B 	Botanical Source: Lonicera fulvotomentosa CAS No: 136849-88-2 Catalogue No: M4658 Mol. formula: C₆₅H₁₀₆O₃₂ Mol. weight: 1399.533 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Madecassoside 	Botanical Source: Centella Asiatica CAS No: 34540-22-2 Catalogue No: A07052 Mol. formula: C₄₈H₇₈O₂₀ Mol. weight: 975.12 Purity: >95% 98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Madecassic acid 	Botanical Source: Centella Asiatica CAS No: 18449-41-7 Catalogue No: A07054 Mol. formula: C₃₀H₄₈O₆ Mol. weight: 504.70 Purity: >95% 98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g, 1kg, 10kg... Synonyms:
Magnolol 	Botanical Source: Cortex Magnolia officinalis (Houpo) CAS No: 528-43-8 Catalogue No: M07028 Mol. formula: C₁₈H₁₈O₂ Mol. weight: 266.32 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: 5,5'-Diallyl-2,2'-dihydroxybiphenyl
Mangiferin 	Botanical Source: Mango leaf CAS No: 4773-96-0 Catalogue No: M07083 Mol. formula: C₁₉H₁₈O₁₁ Mol. weight: 422.33962 Purity: >98% by HPLC Package: 50mg, 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms: Alpizarine; Alpizarin; Aphloiol; Chinoinin; Chinomin; Hedysarid








20110614

Matrine	Botanical Source: Sophora flavescens Ait, kushen CAS No: 519-02-8 Catalogue No: M07029 Mol. formula: C ₁₅ H ₂₄ N ₂ O Mol. weight: 248.37 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg... Synonyms:
	
Maslinic Acid	Botanical Source: Hawthorn; Olivers CAS No: 4373-41-5 Catalogue No: M4620 Mol. formula: C ₃₀ H ₄₈ O ₄ Mol. weight: 472.707 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg... Synonyms: 2-Hydroxyoleanoic Acid; Crategolic Acid
	
Menthol	Botanical Source: Mentha canadensis L. CAS No: 15356-20-4, 89-78-1, 1490-04-6 Catalogue No: M4653 Mol. formula: C ₁₀ H ₂₀ O Mol. weight: 156.267 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Racementhol
	
Mogroside III	Botanical Source: Constit. of Siraitia grosvenorii CAS No: 130567-83-8 Catalogue No: Mol. formula: C ₄₈ H ₈₂ O ₁₉ Mol. weight: 963.164 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
	
Mogroside IV	Botanical Source: Momordica grosvenori (Luo Han Guo) CAS No: 89590-95-4 Catalogue No: M08021 Mol. formula: C ₅₄ H ₉₂ O ₂₄ Mol. weight: 1125.29 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 100g... Synonyms:
	








20110614

Mogroside V 	Botanical Source: Momordica grosvenori(Luo Han Guo) CAS No: 88901-36-4 Catalogue No: M08013 Mol. formula: C₆₀H₁₀₂O₂₉ Mol. weight: 1287.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 1kg... Synonyms:
Mogroside VI 	Botanical Source: Momordica grosvenori(Luo Han Guo) CAS No: 89590-98-7 Catalogue No: M08022 Mol. formula: C₆₆H₁₁₂O₃₄ Mol. weight: 1449.58 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 100g Synonyms:
Momordin Ic 	Botanical Source: Kochia scoparia(L.)Schrad CAS No: 96990-18-0 Catalogue No: M4362 Mol. formula: C₄₁H₆₄O₁₃ Mol. weight: 764.939 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 100g Synonyms:
Monoammonium glycyrrhizinate 	Botanical Source: glycyrrhiza uralensis Fish CAS No: 53956-04-0 Catalogue No: M4363 Mol. formula: C₄₂H₆₆NO₁₆⁺ Mol. weight: 840.971 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 100g Synonyms: Ammonium glycyrrhizinate. Ammoniated glycyrrhizin. Glycyrram. Rizinsan A. Glycamil. Chiyorhizin AN. Glyciram. FEMA 2528
Monotropein 	Botanical Source: Morinda officinalis How. CAS No: 5945-50-6 Catalogue No: M4365 Mol. formula: C₁₆H₂₂O₁₁ Mol. weight: 390.339 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:








20110614

Morin 	Botanical Source: Morus alba L. CAS No: 480-16-0 Catalogue No: M4366 Mol. formula: C₁₅H₁₀O₇ Mol. weight: 302.236 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Morroneiside 	Botanical Source: Cornus officinalis CAS No: 25406-64-8 Catalogue No: M4367 Mol. formula: C₁₇H₂₆O₁₁ Mol. weight: 406.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Myricetin 	Botanical Source: Myrica rubra (Lour.) Sieb. et Zucc. CAS No: 529-44-2 Catalogue No: M4370 Mol. formula: C₁₅H₁₀O₈ Mol. weight: 318.235 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Murrayone 	Botanical Source: Murraya exotica CAS No: 19668-69-0 Catalogue No: M4368 Mol. formula: C₁₅H₁₄O₄ Mol. weight: 258.269 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Muscone 	Botanical Source: Moschus moschiferus L. CAS No: 541-91-3 Catalogue No: M4369 Mol. formula: C₁₆H₃₀O Mol. weight: 238.409 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:








20110614

Myricetrin	Botanical Source: Mimusops elongi
	CAS No: 17912-87-7 Catalogue No: M4659 Mol. formula: C ₂₁ H ₂₀ O ₁₂ Mol. weight: 464.382 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: Myricetin 3- rhamnoside
Myrislignan	Botanical Source: nutmeg
	CAS No: 171485-39-5 Catalogue No: M4660 Mol. formula: C ₂₁ H ₂₆ O ₆ Mol. weight: 374.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Naringenin	Botanical Source: Citrus grandis (L.) Osbeck
	CAS No: 480-41-1 Catalogue No: N4372 Mol. formula: C ₁₅ H ₁₂ O ₅ Mol. weight: 272.253 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 4',5,7-Trihydroxyflavanone
Narirutin	Botanical Source: Citrus paradisi Macfadyen
	CAS No: 14259-46-2 Catalogue No: N4374 Mol. formula: C ₂₇ H ₃₂ O ₁₄ Mol. weight: 580.535 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Naringin	Botanical Source: Citrus grandis (L.) Osbeck
	CAS No: 10236-47-2 Catalogue No: N4373 Mol. formula: C ₂₇ H ₃₂ O ₁₄ Mol. weight: 580.535 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: Naringenin 7-Rhamnoglucoside








20110614

Neochlorogenic acid	Botanical Source: Eucommia Bark; Flos Lonicerae
	CAS No: 906-33-2 Catalogue No: N07008 Mol. formula: C ₁₆ H ₁₈ O ₉ Mol. weight: 354.31 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 5-caffeoylquinic acid; 5-O-caffeoylquinic acid;
Neohesperidin	Botanical Source: Poncirus trifoliata (L.) Raf.
	CAS No: 13241-33-3 Catalogue No: N4376 Mol. formula: C ₂₈ H ₃₄ O ₁₅ Mol. weight: 610.561 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: Hesperetin 7-neohesperidoside
Neomangiferin	Botanical Source: Mangifera indica L.
	CAS No: 64809-67-2 Catalogue No: N4379 Mol. formula: C ₂₅ H ₂₈ O ₁₆ Mol. weight: 584.48 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 2-beta-D-Glucopyranosyl-7-(b-D-glucopyranosyloxy)-1,3,6-trihydroxy-9H-xanthen-9-one
Nitidine Chloride	Botanical Source: Zanthoxylum nitidum (Roxb.)DC.
	CAS No: 6872-57-7 Catalogue No: N4381 Mol. formula: C ₂₁ H ₁₈ ClNO ₄ Mol. weight: 383.825 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: 2,3-dimethoxy-12-methyl-[1,3]benzodioxolo[5,6-c]phenanthridin-12-ium
N-Methylcytisine	Botanical Source: Cytisus laburnum
	CAS No: 486-86-2 Catalogue No: N4661 Mol. formula: C ₁₂ H ₁₆ N ₂ O Mol. weight: 204.271 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms: Caulophylline








20110614

Nobiletin	Botanical Source: Citrus nobilis Lour.
	CAS No: 478-01-3
	Catalogue No: N4382
	Mol. formula: C ₂₁ H ₂₂ O ₈
	Mol. weight: 402.395
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1000mg...
	Synonyms: 3'4'5,6,7,8-Hexamethoxyflavone
Norcantharidin	Botanical Source: Mylabris phalerata Pallas
	CAS No: 29745-04-8
	Catalogue No: N4385
	Mol. formula: C ₈ H ₈ O ₄
	Mol. weight: 168.147
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1000mg...
	Synonyms: 3'4'5,6,7,8-Hexamethoxyflavone
Norisoboldine	Botanical Source: Lindera aggregata (Sims) Kosterm.
	CAS No: 23599-69-1
	Catalogue No: N4398
	Mol. formula: C ₁₈ H ₁₉ NO ₄
	Mol. weight: 313.35
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1000mg...
	Synonyms: 1,9-Dihydroxy-2,10-dimethoxynoraporphine. Laurelliptine.
Notoginsenoside R1	Botanical Source: Panax notoginseng (Burk.) F.H.Chen
	CAS No: 80418-24-2
	Catalogue No: N4387
	Mol. formula: C ₄₇ H ₈₀ O ₁₈
	Mol. weight: 933.127
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1000mg...
	Synonyms:
Nuciferine	Botanical Source: Lotus Leaf
	CAS No: 475-83-2
	Catalogue No: N4388
	Mol. formula: C ₁₉ H ₂₁ NO ₂
	Mol. weight: 295.376
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1000mg...
	Synonyms: (R)-1,2-Dimethoxyaporphine








20110614

Niranthin 	Botanical Source: Phyllanthus niruri Linn CAS No: 50656-77-4 Catalogue No: N08006 Mol. formula: C₂₄H₃₂O₇ Mol. weight: 432.51 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg, 1g, 10g Synonyms:
Nomilin 	Botanical Source: Panax notoginseng (Burk.) F.H.Chen CAS No: 1063-77-0 Catalogue No: N4384 Mol. formula: C₂₈H₃₄O₉ Mol. weight: 514.564 Purity: >98% by HPLC Package: 5mg, 10mg, 20mg, 50mg, 100mg, 1g, 10g Synonyms:
Obacunone 	Botanical Source: Amur Corktree Bark CAS No: 751-03-1 Catalogue No: O4389 Mol. formula: C₂₆H₃₀O₇ Mol. weight: 454.512 Purity: >98% by HPLC Package: 20mg; 50mg; 100mg, 1g, 10g... Synonyms:
Oleuropein 	Botanical Source: Olive CAS No: 32619-42-4 Catalogue No: O08011 Mol. formula: C₂₅H₃₂O₁₃ Mol. weight: 540.52 Purity: >98% by HPLC Package: 20mg; 50mg; 100mg, 1g, 10g, 100g... Synonyms:
Ononin 	Botanical Source: Astragalus membranaceus (Fisch.) Bge. var. mongholicus (Bge.) Hsiao CAS No: 486-62-4 Catalogue No: O4393 Mol. formula: C₂₂H₂₂O₉ Mol. weight: 430.405 Purity: >98% by HPLC Package: 20mg; 50mg; 100mg, 1g, 10g, 100g... Synonyms: ononoside; Fomononetin-7-O-glucoside








20110614

Ophiopogonin D	Botanical Source: Ophiopogon japonicus(Thunb.)Ker-Gawl.
	CAS No: 945619-74-9, Catalogue No: O4397 Mol. formula: C ₄₄ H ₇₀ O ₁₆ Mol. weight: 855.017 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms:
Osthole	Botanical Source: Cnidium monnieri
	CAS No: 484-12-8 Catalogue No: O4400 Mol. formula: C ₁₅ H ₁₆ O ₃ Mol. weight: 244.286 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Osthol
Orientin	Botanical Source: Bamboo leaves(Phyllostachys nigra)
	CAS No: 28608-75-5 Catalogue No: O09011 Mol. formula: C ₂₁ H ₂₀ O ₁₁ Mol. weight: 438.38 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms:
Oridonin	Botanical Source: Rabdosia rubescens
	CAS No: 28957-04-2 Catalogue No: O07065 Mol. formula: C ₂₀ H ₂₈ O ₆ Mol. weight: 364.43 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms:
Oxymatrine	Botanical Source: Sophora flavescens Ait.
	CAS No: 16837-52-8 Catalogue No: O4401 Mol. formula: C ₁₅ H ₂₄ N ₂ O ₂ Mol. weight: 264.363 Purity: >98% by HPLC Package: 50mg, 100mg, 1g,10g, 100g... Synonyms: Matrine oxide








20110614

Oxysophocarpine	Botanical Source: Sophra flavescens Ait.
	CAS No: 26904-64-3 Catalogue No: O4402 Mol. formula: C ₁₅ H ₂₂ N ₂ O ₂ Mol. weight: 262.347 Purity: >98% by HPLC Package: 50mg, 100mg, 1g, 10g, 100g... Synonyms: Sophocarpidine
Paeoniflorin	Botanical Source: Paeonia albifolia Pall.; P.suffruticosa
	CAS No: 23180-57-6 Catalogue No: P07031 Mol. formula: C ₂₃ H ₂₈ O ₁₁ Mol. weight: 480.45 Purity: >98% by HPLC Package: 100mg, 1g, 10g, 100g, 1kg... Synonyms:
Paeonol	Botanical Source: paeonia moutan
	CAS No: 552-41-0 Catalogue No: P4405 Mol. formula: C ₉ H ₁₀ O ₃ Mol. weight: 166.174 Purity: >98% by HPLC Package: 100mg, 1g, 10g, 100g, 1kg... Synonyms: Peonol, 4-O-Methylresacetophenone
Paclitaxel	Botanical Source: Taxus cuspidate cv.Nana
	CAS No: 33069-62-4 Catalogue No: P4404 Mol. formula: C ₄₇ H ₅₁ NO ₁₄ Mol. weight: 853.906 Purity: >98% by HPLC Package: 100mg, 1g, 10g, 100g, 1kg... Synonyms: Paclitaxel
Panaxadiol	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 19666-76-3 Catalogue No: P4408 Mol. formula: C ₃₀ H ₅₂ O ₃ Mol. weight: 460.732 Purity: >98% by HPLC Package: 100mg, 1g, 10g, 100g, 1kg... Synonyms:







20110614

Panaxtriol	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 32791-84-7 Catalogue No: P4409 Mol. formula: C ₃₀ H ₅₂ O ₄ Mol. weight: 476.73 Purity: >98% by HPLC Package: 100mg, 1g,10g, 100g,1kg... Synonyms:
Parthenolide	Botanical Source: Feverfew
	CAS No: 20554-84-1 Catalogue No: P07069 Mol. formula: C ₁₅ H ₂₀ O ₃ Mol. weight: 248.32 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Patchouli alcohol	Botanical Source: Pogostemon cablin (Blanco) Benth.
	CAS No: 5986-55-0 Catalogue No: P4411 Mol. formula: C ₁₅ H ₂₆ O Mol. weight: 222.366 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pectolarin	Botanical Source: Cirsium spp.,Kickxia elatine
	CAS No: 28978-02-1 Catalogue No: P4413 Mol. formula: C ₂₉ H ₃₄ O ₁₅ Mol. weight: 622.571 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Pectolarigenin7-rutinoside.Pectolarin.Pectolarinoside. Neolarin
Peimine	Botanical Source: Fritillaria roylei
	CAS No: 23496-41-5 Catalogue No: P4414 Mol. formula: C ₂₇ H ₄₅ NO ₃ Mol. weight: 431.651 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Verticine








20110614

Peiminine	Botanical Source: <i>Fritillaria roylei</i>
	CAS No: 18059-10-4 Catalogue No: P4415
	Mol. formula: C ₂₇ H ₄₃ NO ₃ Mol. weight: 429.635
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 3,20-Dihydroxy-6-cevanone. Verticinone. Peiminine. Raddeanine. Fritillarine
Peimisine	Botanical Source: <i>Fritillaria cirrhosa</i> D.Don
	CAS No: 19773-24-1 Catalogue No: P4416
	Mol. formula: C ₂₇ H ₄₁ NO ₃ Mol. weight: 427.619
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Peucedanol	Botanical Source: <i>Peucedanum praeruptorum</i> Dunn
	CAS No: 20126-72-1 Catalogue No: P4662
	Mol. formula: C ₁₄ H ₁₆ O ₅ Mol. weight: 264.277
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 6-[(2R)-2,3-Dihydroxy-3-methylbutyl]-7-methoxy-2H-1-benzopyran-2-one
Palmatine hydrochloride	Botanical Source: <i>Coptis chinensis</i> Franch.
	CAS No: 10605-02-4 Catalogue No: P4407
	Mol. formula: C ₂₁ H ₂₂ ClNO ₄ Mol. weight: 387.857
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Palmatine Chloride
Phellodendrine	Botanical Source: <i>PHellodendron amurense</i> Rupr
	CAS No: 6873-13-8 Catalogue No: P4419
	Mol. formula: C ₂₀ H ₂₄ NO ₄ ⁺ Mol. weight: 342.409
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:








20110614

Phloridzin	Botanical Source: Apple tree
	CAS No: 60-81-1
	Catalogue No: P4421
	Mol. formula: C ₂₁ H ₂₄ O ₁₀
	Mol. weight: 436.409
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:
Phloretin	Botanical Source: Apple tree
	CAS No: 60-82-2
	Catalogue No: P4420
	Mol. formula: C ₁₅ H ₁₄ O ₅
	Mol. weight: 274.269
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Dihydronaringenin
Physcion	Botanical Source: Parmelia spp.
	CAS No: 521-61-9
	Catalogue No: P4423
	Mol. formula: C ₁₆ H ₁₂ O ₅
	Mol. weight: 284.263
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: 1,8-Dihydroxy-3-methoxy-6-methylantraquinone. Physcion. Parietin. Methylemodin. Physcic acid. Rheochrysidin. Przewalskinone B
Phytic acid	Botanical Source: Gramineae
	CAS No: 83-86-3
	Catalogue No: P4424
	Mol. formula: C ₆ H ₁₈ O ₂₄ P ₆
	Mol. weight: 660.035
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Hexaphosphate
Picrinine	Botanical Source: Amsonia brevifolia
	CAS No: 4684-32-6
	Catalogue No: P4663
	Mol. formula: C ₂₀ H ₂₂ N ₂ O ₃
	Mol. weight: 338.405
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Deacetyldeformylpicraline. Vincaridine








20110614

Picroside I	Botanical Source: Picrorhiza scrophulariiflora Pennell
	CAS No: 27409-30-9 Catalogue No: P4427 Mol. formula: C ₂₄ H ₂₈ O ₁₁ Mol. weight: 492.473 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Picroside II	Botanical Source: Picrorhiza scrophulariiflora Pennell
	CAS No: 39012-20-9 Catalogue No: P4428 Mol. formula: C ₂₃ H ₂₈ O ₁₃ Mol. weight: 512.446 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Picroside II. Amphicoside
Picroside III	Botanical Source: Picrorhiza scrophulariiflora Pennell
	CAS No: 64461-95-6 Catalogue No: P4429 Mol. formula: C ₂₅ H ₃₀ O ₁₃ Mol. weight: 538.504 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pinoresinol diglucoside	Botanical Source: the bark of Eucommia ulmoides
	CAS No: 63902-38-5 Catalogue No: P4433 Mol. formula: C ₃₂ H ₄₂ O ₁₆ Mol. weight: 682.674 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Piperine	Botanical Source: Piper nigrum L.
	CAS No: 94-62-2 Catalogue No: P4434 Mol. formula: C ₁₇ H ₁₉ NO ₃ Mol. weight: 285.338 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 1-Piperoylpiperidine








20110614

Plantamoside	Botanical Source: Digitalis purpurea
	CAS No: 104777-68-6 Catalogue No: P4664 Mol. formula: C ₂₉ H ₃₆ O ₁₆ Mol. weight: 640.594 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Plantamoside
Platycodin D	Botanical Source: Platycodon grandiflorum
	CAS No: 58479-68-8 Catalogue No: P4435 Mol. formula: C ₅₇ H ₉₂ O ₂₈ Mol. weight: 1225.337 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Podophyllotoxin	Botanical Source: Podophyllum emodi rhizomes
	CAS No: 518-28-5 Catalogue No: P4436 Mol. formula: C ₂₂ H ₂₂ O ₈ Mol. weight: 414.405 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Dysosma versipellis(Hance.M.Cheng)
Polygalacic acid	Botanical Source: Solidago virgaurea (goldenrod)
	CAS No: 22338-71-2 Catalogue No: P4439 Mol. formula: C ₃₀ H ₄₈ O ₆ Mol. weight: 504.706 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Virgaureagenin G
Polyphyllin A	Botanical Source: Paris polyphylla
	CAS No: 14144-06-0 Catalogue No: P4440 Mol. formula: C ₃₃ H ₅₂ O ₆ Mol. weight: 576.769 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Trillin. Disoglucide, INN. Alliumoside A. Collettinside I. Funkioside A. Melongoside B. Polygonatoside A. Polyphyllin A. Prosapogenin D'3. WA 185








20110614

Polyphyllin B	Botanical Source: Paris polyphylla
	CAS No: 50773-42-7 Catalogue No: P4441 Mol. formula: C ₅₁ H ₈₂ O ₂₀ Mol. weight: 1015.197 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Asperin. Formosanin C. Parissaponin Pb
Polyphyllin C	Botanical Source: Paris polyphylla
	CAS No: 76296-71-4 Catalogue No: P4442 Mol. formula: C ₃₉ H ₆₂ O ₁₂ Mol. weight: 722.902 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
Polyphyllin D	Botanical Source: Paris polyphylla
	CAS No: 76296-72-5 Catalogue No: P4443 Mol. formula: C ₄₄ H ₇₀ O ₁₆ Mol. weight: 855.027 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Parissaponin Pa
Polyphyllin E	Botanical Source: Paris polyphylla
	CAS No: 76296-73-6 Catalogue No: P4444 Mol. formula: C ₅₁ H ₈₂ O ₂₀ Mol. weight: 1015.18 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Parissaponin Pa
Polyphyllin F	Botanical Source: Paris polyphylla
	CAS No: 76296-74-7 Catalogue No: P4443 Mol. formula: C ₅₁ H ₈₂ O ₂₀ Mol. weight: 1015.18 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:








20110614

Polydatin	Botanical Source: Polygonum cuspidatum root
	CAS No: 27208-80-6 Catalogue No: P4438 Mol. formula: C ₂₀ H ₂₂ O ₈ Mol. weight: 390.384 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Praeruptorin A	Botanical Source: Peucedanum praeruptorum Dunn
	CAS No: 73069-27-9 Catalogue No: P4445 Mol. formula: C ₂₁ H ₂₂ O ₇ Mol. weight: 386.395 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: (+)-Praeruptorin A
Praeruptorin D	Botanical Source: Peucedanum praeruptorum Dunn
	CAS No: 73069-28-0 Catalogue No: P4446 Mol. formula: C ₂₄ H ₂₆ O ₇ Mol. weight: 426.459 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Praeruptorin E	Botanical Source: Peucedanum praeruptorum Dunn
	CAS No: 78478-28-1 Catalogue No: P4447 Mol. formula: C ₂₄ H ₂₈ O ₇ Mol. weight: 428.475 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Prim-O-glucosylcimifugin	Botanical Source: Angelica
	CAS No: 80681-45-4 Catalogue No: P4448 Mol. formula: C ₂₂ H ₂₈ O ₁₁ Mol. weight: 468.451 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Procyanidin B1	Botanical Source: Grape Seed P.E
	CAS No: 20315-25-7 Catalogue No: P09016
	Mol. formula: C ₃₀ H ₂₆ O ₁₂ Mol. weight: 578.52
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Epicatechin(4beta->8)catechin; Proanthocyanidin B1; cis,trans"-4,8"-Bi-(3,3',4',5,7-Pentahydroxyflavane);
Procyanidin B2	Botanical Source: Grape Seed P.E
	CAS No: 29106-49-8 Catalogue No: P09017
	Mol. formula: C ₃₀ H ₂₆ O ₁₂ Mol. weight: 578.52
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Epicatechin(4beta->8)epicatechin; Proanthocyanidin B2; 4,8"-Bi-[(+)-epicatechin; cis,cis"-4,8"-Bi(3,3',4',5,7-pentahydroxyflavane);
Protodioscin	Botanical Source: Costus speciosus Sm.
	CAS No: 55056-80-9 Catalogue No: P4452
	Mol. formula: C ₅₁ H ₈₄ O ₂₂ Mol. weight: 1,049.2
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 26-O-beta-D-Glycopyranosyl-22-hydroxyfurost-5-ene-3beta,26-diol-3-
Protopanaxadiol	Botanical Source: Panax ginseng C. A. Mey
	CAS No: 30636-90-9 Catalogue No: P4452
	Mol. formula: C ₃₀ H ₅₂ O ₃ Mol. weight: 460.739
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 20R-Protopanaxadiol
Protopanaxatriol	Botanical Source: Panax ginseng C. A. Mey
	CAS No: 1453-93-6 Catalogue No: P4453
	Mol. formula: C ₃₀ H ₅₂ O ₄ Mol. weight: 476.731
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: (20R)-Protopanaxatriol







20110614

Pseudohypericin	Botanical Source: Hypericum perforatum, St. Johns Wort
	CAS No: 55954-61-5 Catalogue No: P08003 Mol. formula: C ₃₀ H ₁₆ O ₉ Mol. weight: 520.44 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudoginsenoside-RT5	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 98474-78-3 Catalogue No: P4456 Mol. formula: C ₃₆ H ₆₂ O ₁₀ Mol. weight: 654.88 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudoginsenoside- F₁₁	Botanical Source: Panax ginseng C. A. Mey.
	CAS No: 69884-00-0 Catalogue No: P4455 Mol. formula: C ₄₂ H ₇₂ O ₁₄ Mol. weight: 801.013 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudolaric Acid A	Botanical Source: Pseudolarix kaempferi(Golden Larch
	CAS No: 82508-32-5 Catalogue No: P08046 Mol. formula: C ₂₂ H ₂₈ O ₆ Mol. weight: 388.45 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudolaric Acid A-O-β-D-glucopyranoside	Botanical Source: Pseudolarix kaempferi(Golden Larch Bark)
	CAS No: 98891-44-2 Catalogue No: P08049 Mol. formula: C ₂₂ H ₃₈ O ₁₁ Mol. weight: 550.60 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Pseudolaric Acid B 	Botanical Source: Pseudolarix kaempferi(Golden Larch) CAS No: 82508-31-4 Catalogue No: P08045 Mol. formula: C₂₃H₂₈O₈ Mol. weight: 432.46 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudolaric Acid B-O-β-D-glucopyranoside 	Botanical Source: Pseudolarix kaempferi(Golden Larch Bark) CAS No: Catalogue No: P08048 Mol. formula: C₂₉H₃₈O₁₃ Mol. weight: 594.60 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Pseudolaric Acid C 	Botanical Source: Pseudolarix kaempferi(Golden Larch) CAS No: 82601-41-0 Catalogue No: P08047 Mol. formula: C₂₁H₂₆O₇ Mol. weight: 390.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Psoralen 	Botanical Source: Pseudolarix kaempferi(Golden Larch) CAS No: 66-97-7 Catalogue No: P4457 Mol. formula: C₁₁H₆O₃ Mol. weight: 186.164 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Puerarin 	Botanical Source: Psoralea corylifolia L. CAS No: 3681-99-0 Catalogue No: P4459 Mol. formula: C₂₁H₂₀O₉ Mol. weight: 416.378 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Punicalagin	Botanical Source: Pomegranate
	CAS No: 65995-63-3 Catalogue No: P08012 Mol. formula: C ₄₈ H ₂₈ O ₃₀ Mol. weight: 1084.72 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Punicalagins (A&B); 2,3-(S)-Hexahydroxydiphenoyl-4,6-(S,S)-gallagyl-D-glucose
Punicalin	Botanical Source: Pomegranate
	CAS No: 65995-64-4 Catalogue No: P09023 Mol. formula: C ₃₄ H ₂₂ O ₂₂ Mol. weight: 782.525 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 4,6-Gallagylglucose
Oleanolic acid	Botanical Source: Olea europaea L.
	CAS No: 508-02-1 Catalogue No: O4391 Mol. formula: C ₃₀ H ₄₈ O ₃ Mol. weight: 456.7 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Quercitrin	Botanical Source: Apocynum lancifolium Rus.
	CAS No: 522-12-3 Catalogue No: Q4462 Mol. formula: C ₂₁ H ₂₀ O ₁₁ Mol. weight: 448.377 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Quercetin 3-a-L-rhamnoside
Quercetin	Botanical Source: Sophora flavescens Ait.
	CAS No: 117-39-5 Catalogue No: Q4461 Mol. formula: C ₁₅ H ₁₀ O ₇ Mol. weight: 302.236 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Quercetin-7-O-β-D- glucoside	Botanical Source:
	CAS No: 491-50-9
	Catalogue No: Q4665
	Mol. formula: C ₂₁ H ₂₀ O ₁₂
	Mol. weight: 464.382
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Quercimeritroside, Quercetin 7-glucoside
Raddeanin A	Botanical Source: Anemone sp.
	CAS No: 89412-79-3
	Catalogue No: R4463
	Mol. formula: C ₄₇ H ₇₆ O ₁₆
	Mol. weight: 897.097
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: Olean-12-en-28-oic acid
Rebaudioside A	Botanical Source: Stevia rebaudiana bertonii
	CAS No: 58543-16-1
	Catalogue No: R08060
	Mol. formula: C ₄₄ H ₇₀ O ₂₃
	Mol. weight: 967.0128
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Resveratrol	Botanical Source: Polygonum cuspidatum Sieb. et Zucc.
	CAS No: 501-36-0
	Catalogue No: R4466
	Mol. formula: C ₁₄ H ₁₂ O ₃
	Mol. weight: 228.243
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms: 3,4',5-Stilbenetriol, 3,4',5-Trihydroxystilbene
Reserpine	Botanical Source: R.verticillata (Lour.) Bail
	CAS No: 50-55-5
	Catalogue No: R4465
	Mol. formula: C ₃₃ H ₄₀ N ₂ O ₉
	Mol. weight: 608.679
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:








20110614

Rhein	Botanical Source: Rheum palmatum (Chinese rhubarb) <i>Sinensis</i> Howard
	CAS No: 478-43-3 Catalogue No: R4468 Mol. formula: C ₁₅ H ₈ O ₆ Mol. weight: 284.22 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 9,10-Dihydro-4,5-dihydroxy-9,10-dioxo-2-anthracenecarboxylic acid, 9Cl. Chrysazin-3-carboxylic acid. Rhein. Monorhein. Cassic acid
Rosarin	Botanical Source: Rhodiola
	CAS No: 84954-93-8 Catalogue No: R08016 Mol. formula: C ₂₀ H ₂₈ O ₁₀ Mol. weight: 428.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Rosavin	Botanical Source: Rhodiola
	CAS No: 84954-92-7 Catalogue No: R08014 Mol. formula: C ₂₀ H ₂₈ O ₁₀ Mol. weight: 428.43 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Rosin	Botanical Source: Rhodiola
	CAS No: 85026-55-7 Catalogue No: R08015 Mol. formula: C ₁₅ H ₂₀ O ₆ Mol. weight: 296.32 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 2-(cinnamyloxy)-6-(hydroxymethyl)-tetrahydro-2H-pyran-3,4,5-triol
Rosiridin	Botanical Source: Rhodiola
	CAS No: 100462-37-1 Catalogue No: R08017 Mol. formula: C ₁₆ H ₂₈ O ₇ Mol. weight: 332.39 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Rosmarinic acid	Botanical Source: Rosemary
	CAS No: 20283-92-5 Catalogue No: R08041 Mol. formula: C ₁₈ H ₁₆ O ₈ Mol. weight: 360.31 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Rosemary acid; Benzenepropanoic acid, alpha-((3-(3,4-dihydroxyphenyl)-1-oxo-2-propenyl)oxy)-3,4-dihydroxy-
Rhynchophylline	Botanical Source: Uncaria rhynchophylla Miquel, Uncaria
	CAS No: 76-66-4 Catalogue No: R07076 Mol. formula: C ₂₂ H ₂₈ N ₂ O ₄ Mol. weight: 384.46872 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Mitrinermin; Mitrinermine; Rhynchophylline; Rhynchophyllin; Rhynocophylline
Rutin	Botanical Source: Ruta graveolens L.
	CAS No: 153-18-4 Catalogue No: R4476 Mol. formula: C ₂₇ H ₃₀ O ₁₆ Mol. weight: 610.518 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Rutoside
Rutaecarpine	Botanical Source: Evodia rutaecarpa (Juss.) Benth.
	CAS No: 84-26-4 Catalogue No: R4475 Mol. formula: C ₁₈ H ₁₃ N ₃ O Mol. weight: 287.315 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
β-Sitosterol	Botanical Source: Triticum aestivum L.
	CAS No: 83-46-5 Catalogue No: B4102 Mol. formula: C ₂₉ H ₅₀ O Mol. weight: 414.707 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Bata-Sitosterol








20110614

Saikosaponin A	Botanical Source: Bupleurum falcatum
	CAS No: 20736-09-8 Catalogue No: S4478 Mol. formula: C ₄₂ H ₆₈ O ₁₃ Mol. weight: 780.982 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Saikosaponin B1	Botanical Source: Bupleurum falcatum
	CAS No: 58558-08-0 Catalogue No: S4479 Mol. formula: C ₄₂ H ₆₈ O ₁₃ Mol. weight: 780.982 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Saikosaponin B2	Botanical Source: Bupleurum falcatum
	CAS No: 58316-41-9 Catalogue No: S4480 Mol. formula: C ₄₂ H ₆₈ O ₁₃ Mol. weight: 780.982 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Saikosaponin C	Botanical Source: Bupleurum falcatum
	CAS No: 20736-08-7 Catalogue No: S4481 Mol. formula: C ₄₈ H ₇₈ O ₁₇ Mol. weight: 928.123 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:
Saikosaponin D	Botanical Source: Bupleurum falcatum
	CAS No: 20874-52-6 Catalogue No: S4482 Mol. formula: C ₄₂ H ₆₈ O ₁₃ Mol. weight: 780.982 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g...
	Synonyms:








20110614

Salidroside	Botanical Source: Rhodiola rosea L.
	CAS No: 10338-51-9 Catalogue No: S07064
	Mol. formula: C ₁₄ H ₂₀ O ₇ Mol. weight: 300.31
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms: Rhodiolide
Salvianolic acid A	Botanical Source: Radix salvia miltiorrhiza; Salvia miltiorrhiza Bge.
	CAS No: 96574-01-5 Catalogue No: S4484
	Mol. formula: C ₂₆ H ₂₂ O ₁₀ Mol. weight: 494.447
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms:
Salvianolic acid B	Botanical Source: Radix salvia miltiorrhiza; Salvia miltiorrhiza Bge.
	CAS No: 115939-25-8 Catalogue No: S07032
	Mol. formula: C ₃₆ H ₃₀ O ₁₆ Mol. weight: 718.62
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms:
Salicin	Botanical Source: white willow bark P.E.
	CAS No: 138-52-3 Catalogue No: S4483
	Mol. formula: C ₁₃ H ₁₈ O ₇ Mol. weight: 286.278
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: D-Salicin
Sanguinarine	Botanical Source: Argemone
	CAS No: 2447-54-3 Catalogue No: S4485
	Mol. formula: C ₂₀ H ₁₄ NO ₄ ⁺ Mol. weight: 332.335
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: 13-Methyl[1,3]benzodioxolo[5,6-c]-1,3-dioxolo[4,5-i]phenanthridinium(1+), 9Cl-5-Methyl-2,3:7,8-bis(methylenedioxy)benzo[c]phenanthridinium(1+), Pseudochelerythrine, -Chelerythrine








20110614

Sarsasapogenin	Botanical Source: Anemarrhena asphodeloides Bge CAS No: 126-19-2 Catalogue No: S08039 Mol. formula: C ₂₇ H ₄₄ O ₃ Mol. weight: 416.64 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Parigenin; (25S)-Spirostan-3β-ol
	
Sec-O-Glucosylhamaudol	Botanical Source: Saposhnikovia divaricata (Turcz.) Schischk. CAS No: 80681-44-3 Catalogue No: S4499 Mol. formula: C ₂₁ H ₂₆ O ₁₀ Mol. weight: 438.425 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
	
Schisandrin A	Botanical Source: Schisandra chinensis (Turcz.) Baill. CAS No: 61281-38-7 Catalogue No: S4488 Mol. formula: C ₂₄ H ₃₂ O ₆ Mol. weight: 416.507 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: 3,3',4,4',5,5'-Hexamethoxy-2,2'-cyclo lignan. Deoxyschisandrin. Schizandrin A. Schisandrin A. Wuweizisu A. Dimethylgomisin J
	
Schisandrin B	Botanical Source: Schisandra chinensis (Turcz.) Baill. CAS No: 61281-37-6 Catalogue No: S4489 Mol. formula: C ₂₃ H ₂₈ O ₆ Mol. weight: 400.465 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms: Wuweizisu B. Schizandrin B. Schisandrin B
	
Schisandrin C	Botanical Source: Schisandra chinensis (Turcz.) Baill. CAS No: 61301-33-5 Catalogue No: S4627 Mol. formula: C ₂₂ H ₂₄ O ₆ Mol. weight: 384.428 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g... Synonyms:
	








20110614

Schizandrol A	Botanical Source: Schisandra chinensis(Turcz.)Baill.
	CAS No: 7432-28-2 Catalogue No: S4490 Mol. formula: C ₂₄ H ₃₂ O ₇ Mol. weight: 432.507 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms: 5,6,7,8-Tetrahydro-1,2,3,10,11,12-hexamethoxy-6,7-dimethylidibenzo[a,c]cycloocten-6-ol,9Cl.8-Hydroxy-3,3',4,4',5,5'-hexamethoxy-2,2'-cycloignan. Wuweizichun A. Wuweizi alcohol A.
Schizandrol B	Botanical Source: Schisandra chinensis(Turcz.)Baill.
	CAS No: 58546-54-6 Catalogue No: S4491 Mol. formula: C ₂₃ H ₂₈ O ₇ Mol. weight: 416.464 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms: 3,3',4,5-Tetramethoxy-4',5'-methylenedioxy-2,2'-cycloignan-8-ol. Wuweizisu B. Wuweizichum B. Schisandrol B. Schizandrol B. Wuweizi alcohol B. Besigomsin. TJN 101
Schizanthrin A	Botanical Source: Schisandra chinensis(Turcz.)Baill.
	CAS No: 58546-56-8 Catalogue No: S4492 Mol. formula: C ₃₀ H ₃₂ O ₉ Mol. weight: 536.57 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms: Gomisin A. Schizanthrin A. Schisantherin A. Wuweizi ester A
Schizanthrin B	Botanical Source: Schisandra chinensis(Turcz.)Baill.
	CAS No: 58546-55-7 Catalogue No: S4493 Mol. formula: C ₂₈ H ₃₄ O ₉ Mol. weight: 514.564 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms: Gomisin B. Schizanthrin B. Schisantherin B. Wuweizi ester B
Scutellarein	Botanical Source: Billbergia vittata
	CAS No: 529-53-3 Catalogue No: S4498 Mol. formula: C ₁₅ H ₁₀ O ₆ Mol. weight: 286.236 Purity: >98% by HPLC Package: 20mg, 50mg,100mg,1g,10g,100g... Synonyms: 5,6,7-Trihydroxy-2-(4-hydroxyphenyl)-4H-1-benzopyran-4-one, 9Cl. Scutellarein. 6-Hydroxyapigenin








20110614

Scutellarin	Botanical Source: Erigeron breviscapus
	CAS No: 27740-01-8 Catalogue No: S07033
	Mol. formula: C ₂₁ H ₁₈ O ₁₂ Mol. weight: 462.37
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g...
	Synonyms:
Secoisolariciresinol Diglucoside	Botanical Source: flaxseed
	CAS No: 148244-82-0 Catalogue No: S07034
	Mol. formula: C ₃₂ H ₄₆ O ₁₆ Mol. weight: 686.71
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: SDG; 2,3-Bis(3-methoxy-4-hydroxybenzyl)butane-1,4-diol 1,4-diglucoside
Senegenin	Botanical Source: Polygala senega
	CAS No: 2469-34-3 Catalogue No: S4501
	Mol. formula: C ₃₀ H ₄₅ ClO ₆ Mol. weight: 537.135
	Purity: >98% by HPLC
	Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms: Tenuifolic acid
Sennoside A	Botanical Source: Senna
	CAS No: 81-27-6 Catalogue No: S07014
	Mol. formula: C ₄₂ H ₃₈ O ₂₀ Mol. weight: 862.75
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms:
Sennoside B	Botanical Source: Senna
	CAS No: 128-57-4 Catalogue No: S07015
	Mol. formula: C ₄₂ H ₃₈ O ₂₀ Mol. weight: 862.75
	Purity: >98% by HPLC
	Package: 50mg, 100mg, 1g, 10g, 100g, 1kg...
	Synonyms:








20110614

Sennoside C	Botanical Source: Senna
	CAS No: 37271-16-2 Catalogue No: S07016 Mol. formula: C ₄₂ H ₄₀ O ₁₉ Mol. weight: 848.77 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Sennoside D	Botanical Source: Senna
	CAS No: 37271-17-3 Catalogue No: S07017 Mol. formula: C ₄₂ H ₄₀ O ₁₉ Mol. weight: 848.77 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1000mg... Synonyms:
Sesamin	Botanical Source: Sesamum indicum DC
	CAS No: 607-80-7 Catalogue No: S07035 Mol. formula: C ₂₀ H ₁₅ O ₆ Mol. weight: 354.34 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms:
Sesamolin	Botanical Source: Sesamum indicum DC
	CAS No: 526-07-8 Catalogue No: S4502 Mol. formula: C ₂₀ H ₁₈ O ₇ Mol. weight: 370.353 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms:
Shanzhiside methylester	Botanical Source: Lamiophlomis rotata (Benth.) Kudo.
	CAS No: 64421-28-9 Catalogue No: Mol. formula: C ₁₇ H ₂₆ O ₁₁ Mol. weight: 406.386 Purity: >98% by HPLC Package: 0.1g, 1g, 10g, 100g, 1kg, 10kg.. Synonyms:








20110614

Shikonin 	Botanical Source: Arnebia euchroma CAS No: 54952-43-1 Catalogue No: S07075 Mol. formula: C₁₆H₁₆O₅ Mol. weight: 288.30 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Shikimic acid 	Botanical Source: Illicium verum Hook.f. CAS No: 138-59-0 Catalogue No: S4503 Mol. formula: C₇H₁₀O₅ Mol. weight: 174.151 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Siamenoside I 	Botanical Source: Momordica grosvenori(Luo Han Guo) CAS No: 126105-12-2 Catalogue No: S08024 Mol. formula: C₅₄H₉₂O₂₄ Mol. weight: 1125.29 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: 20mg, 50mg, 100mg, 1g, 10g, 100g...
Silybin 	Botanical Source: Silybum marianum(L.),Milk Thistle CAS No: 22888-70-6 Catalogue No: S07040 Mol. formula: C₂₅H₂₂O₁₀ Mol. weight: 482.43 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: Silybinin; Silliver; Silybine;Silibinin
Silymarin 	Botanical Source: Silybum marianum CAS No: 72581-71-6 Catalogue No: S4315 Mol. formula: C₂₅H₂₂O₁₀ Mol. weight: 482.436 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms:








20110614

Silychristin 	Botanical Source: Silybum marianum(L.),Milk Thistle CAS No: 33889-69-9 Catalogue No: S4505 Mol. formula: C₂₅H₂₂O₁₀ Mol. weight: 482.43 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: Silicristin, INN. Silymarin II
Silydianin 	Botanical Source: Silybum marianum(L.),Milk Thistle CAS No: 29782-68-1 Catalogue No: S4506 Mol. formula: C₂₅H₂₂O₁₀ Mol. weight: 482.43 Purity: >98% by HPLC Package: 0.1g, 1g,10g, 100g,1kg,10kg.. Synonyms: Silidianin, INN. Silybum substance E5
Sinomenine 	Botanical Source: Sinomenium actum Rehd.et wils. CAS No: 115-53-7; Catalogue No: S09021 Mol. formula: C₁₉H₂₃NO₄ Mol. weight: 329.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Coculine; Cucoline; Kukoline; Sabianine A;
Sophocarpine 	Botanical Source: S. pachycarpa C. A. CAS No: 6483-15-4 Catalogue No: S4514 Mol. formula: C₁₅H₂₂N₂O Mol. weight: 246.348 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:
Specnuezhenide 	Botanical Source: Ligustrum lucidum Ait. CAS No: 39011-92-2 Catalogue No: S4666 Mol. formula: C₃₁H₄₂O₁₇ Mol. weight: 686.62 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms:








20110614

Stevioside	Botanical Source: Stevia rebaudiana bertonii CAS No: 57817-89-7 Catalogue No: S08058 Mol. formula: C₃₈H₆₀O₁₈ · 2H₂O Mol. weight: 840.91 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g... Synonyms: Steviol glycoside; Steviosin;
	
Stigmasterol	Botanical Source: Cicer arietinum CAS No: 83-48-7 Catalogue No: S4521 Mol. formula: C₂₉H₄₈O Mol. weight: 412.691 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g, 1kg... Synonyms: beta-Stigmasterol
	
Swertiamarin	Botanical Source: Swertiapatens CAS No: 17388-39-5 Catalogue No: S08007 Mol. formula: C₁₆H₂₂O₁₀ Mol. weight: 374.34 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g, 1kg... Synonyms: Swertiamarine; Swertiamaroside
	
Sweroside	Botanical Source: Swertia japonica CAS No: 14215-86-2 Catalogue No: S4523 Mol. formula: C₁₆H₂₂O₉ Mol. weight: 358.34 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g, 1kg... Synonyms:
	
Tanshinone I	Botanical Source: Salvia miltiorrhiza Bge. CAS No: 568-73-0 Catalogue No: T4530 Mol. formula: C₁₈H₁₂O₃ Mol. weight: 276.286 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g, 1kg... Synonyms:
	







20110614

Tanshinone IIA	Botanical Source: Salvia miltiorrhiza Bge.
	CAS No: 568-72-9 Catalogue No: T4531 Mol. formula: C ₁₉ H ₁₈ O ₃ Mol. weight: 294.344 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g,10g, 100g, 1kg... Synonyms:
Tectoridin	Botanical Source: Belamcanda chinensis (L.) DC.
	CAS No: 611-40-5 Catalogue No: T09002 Mol. formula: C ₂₂ H ₂₂ O ₁₁ Mol. weight: 462.40 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g... Synonyms: Shekanin;
Tectorigenin	Botanical Source: Belamcanda chinensis (L.) DC.
	CAS No: 548-77-6 Catalogue No: T09003 Mol. formula: C ₁₆ H ₁₂ O ₆ Mol. weight: 320.60 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g... Synonyms: 5,7-dihydroxy-3-(4-hydroxyphenyl)-6-methoxy-4H-chromen-4-one
Tetrandrine	Botanical Source: Stephania tetrandra S. Moore
	CAS No: 518-34-3 Catalogue No: T08038 Mol. formula: C ₃₈ H ₄₂ N ₂ O ₆ Mol. weight: 622.75 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g... Synonyms: (+)-Tetrandrine; (1β)-6,6',7,12-Tetramethoxy-2,2'-dimethylberbaman
Tiliroside	Botanical Source: strawberries (Fragaria ananassa)
	CAS No: 20316-62-5 Catalogue No: T4533 Mol. formula: C ₃₀ H ₂₆ O ₁₃ Mol. weight: 594.52 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g... Synonyms: 6"-O-trans-p-Coumaroylstragalgin








20110614

Theobromine	Botanical Source: Theobroma cacao
	CAS No: 83-67-0
	Catalogue No: T4535
	Mol. formula: C ₇ H ₈ N ₄ O ₂
	Mol. weight: 180.164
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g...
	Synonyms:
Theophylline	Botanical Source: tea leaves
	CAS No: 58-55-9
	Catalogue No: T4536
	Mol. formula: C ₇ H ₈ N ₄ O ₂
	Mol. weight: 180.164
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g...
	Synonyms:
Toosendanin	Botanical Source: Melia toosendan
	CAS No: 58812-37-6
	Catalogue No: T4533
	Mol. formula: C ₃₀ H ₃₈ O ₁₁
	Mol. weight: 574.624
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g...
	Synonyms: Chuanliansu. 12-Acetoxyamoorastatin
Timosaponin b- II	Botanical Source: Anemarrhena asphodeloides
	CAS No: 136656-07-0
	Catalogue No: T4540
	Mol. formula: C ₄₅ H ₇₆ O ₁₉
	Mol. weight: 921.074
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g...
	Synonyms:
Timosaponin a-III	Botanical Source: Anemarrhena asphodeloides Bge.
	CAS No: 41059-79-4
	Catalogue No: T4539
	Mol. formula: C ₃₉ H ₆₄ O ₁₃
	Mol. weight: 740.918
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g...
	Synonyms: Timosaponin A3








20110614

3,4,5-Tricaffeoylquinic acid	Botanical Source: Xanthium plant, Green Coffee Bean;
	CAS No: 86632-03-3 Catalogue No: T09018 Mol. formula: C₃₄H₃₀O₁₅ Mol. weight: 678.59 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g... Synonyms: (1S,3R,4S,5R)-3,4,5-tris((E)-3-(3,4-dihydroxyphenyl)acryloyloxy)-1-hydroxycyclohexanecarboxylic acid
Trifolirhizin	Botanical Source: Trifolium pratense L.
	CAS No: 6807-83-6 Catalogue No: T4543 Mol. formula: C₂₂H₂₂O₁₀ Mol. weight: 446.404 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g... Synonyms:
Triptolide	Botanical Source: Tripterygium wilfordii Hook. f.
	CAS No: 38748-32-2 Catalogue No: T07060 Mol. formula: C₂₀H₂₄O₆ Mol. weight: 360.40 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g,100g... Synonyms: Triptolid
Triptidiolide	Botanical Source: Tripterygium wilfordii Hook. f.
	CAS No: 38647-10-8 Catalogue No: T07062 Mol. formula: C₂₀H₂₄O₇ Mol. weight: 376.40 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g... Synonyms: Triptidiolid; Triptolide, 2-hydroxy-, (2.beta.)-
Triptonide	Botanical Source: Tripterygium wilfordii Hook. f.
	CAS No: 38647-11-9 Catalogue No: T07080 Mol. formula: C₂₀H₂₂O₆ Mol. weight: 358.38508 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g,10g...








20110614

	Synonyms: Triptolide, 14-deoxy-14-oxo-
Tubeimoside I	Botanical Source: TBoibostemma paniculatum
	CAS No: 102040-03-9 Catalogue No: T4545 Mol. formula: C ₆₃ H ₉₈ O ₂₉ Mol. weight: 1319.45 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms: Lobatoside H
tuberostemonine	Botanical Source: Stemona sessilifolia (Miq.) Miq
	CAS No: 6879-01-2 Catalogue No: T4546 Mol. formula: C ₂₂ H ₃₃ NO ₄ Mol. weight: 375.502 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms:
Tyrosol	Botanical Source: Ligustrum ovalifolium
	CAS No: 501-94-0 Catalogue No: T4667 Mol. formula: C ₈ H ₁₀ O ₂ Mol. weight: 138.166 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms:
Typhaneoside	Botanical Source: Typha angustifolia L.
	CAS No: 104472-68-6 Catalogue No: T4547 Mol. formula: C ₃₄ H ₄₂ O ₂₀ Mol. weight: 770.685 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms:
Umbelliferone	Botanical Source: Daucus carota L. var. sativa DC
	CAS No: 93-35-6 Catalogue No: U4050 Mol. formula: C ₉ H ₆ O ₃ Mol. weight: 162.142 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...








20110614

	Synonyms: 7-Oxycoumarin;Hydrangin
Ursolic acid	Botanical Source: Ligustrum lucidum Ait.
	CAS No: 77-52-1 Catalogue No: U4548 Mol. formula: C ₃₀ H ₄₈ O ₃ Mol. weight: 456.7 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
Uronic acid	Botanical Source: Usnea diffracta Vain.
	CAS No: 125-46-2 Catalogue No: U4549 Mol. formula: C ₁₈ H ₁₆ O ₇ Mol. weight: 344.315 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
Vitexin	Botanical Source: Hawthorn(Crataegus pinnatifida)
	CAS No: 3681-93-4 Catalogue No: V07036 Mol. formula: C ₂₁ H ₂₀ O ₁₀ Mol. weight: 432.38 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1000g...
Vindoline	Botanical Source: Catharanthus roseus (L.)G.Don
	CAS No: 2182-14-1 Catalogue No: V4560 Mol. formula: C ₂₅ H ₃₂ N ₂ O ₆ Mol. weight: 456.531 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1000g...
Vitexin-2'-o-rhamnoside	Botanical Source: Hawthorn(Crataegus pinnatifida)
	CAS No: 64820-99-1 Catalogue No: V08024 Mol. formula: C ₂₇ H ₃₀ O ₁₄ Mol. weight: 578.52 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1000g...




20110614

	Synonyms: Rhamnosylvitexin; vitexin-2-o-rhamnoside; 2"-o-rhamnosyl-vitexin; 2-O-Rhamnosylvitexin
Vitexin-4'-O-Glucoside	Botanical Source: Hawthorn(<i>Crataegus pinnatifida</i>)
	CAS No: 76135-82-5 Catalogue No: V08025 Mol. formula: C₂₇H₃₀O₁₅ Mol. weight: 594.52 Purity: >98% by HPLC Package: 20mg, 50mg, 100mg, 1g, 10g, 100g, 1000g... Synonyms: Glucosylvitexin; Glucosyl-vitexin; Vitexin-4-O-Glucoside; 4"-O-Glucosylvitexin;
Wilforlide A	Botanical Source: <i>Tripterygium wilfordii</i> Hook. f.
	CAS No: 84104-71-2 Catalogue No: W07070 Mol. formula: C₃₀H₄₆O₃ Mol. weight: 454.68 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms:
Wogonin	Botanical Source: <i>Scutellaria baicalensis</i>
	CAS No: 632-85-9 Catalogue No: W4562 Mol. formula: C₁₆H₁₂O₅ Mol. weight: 284.268 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms: 5,7-Dihydroxy-8-methoxy-2-phenyl-4H-1-benzopyran-4-one, 9Cl. Wogonin. Vogonin
Xylitol	Botanical Source: <i>Psalliotia campestris</i>
	CAS No: 87-99-0 Catalogue No: X4668 Mol. formula: C₅H₁₂O₅ Mol. weight: 152.147 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g... Synonyms: Xylite
Yohimbine Hydrochloride	Botanical Source: <i>Corynante Yohimbe</i>
	CAS No: 65-19-0 Catalogue No: Y4563 Mol. formula: C₂₁H₂₇ClN₂O₃ Mol. weight: 390.904 Purity: >98% by HPLC Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...



20110614

	Synonyms: Xylite
Z-Ligustilide	Botanical Source: Cnidium officinale
	CAS No: 4431-01-0 Catalogue No: Z4566
	Mol. formula: C ₁₂ H ₁₄ O ₂ Mol. weight: 190.241
	Purity: >98% by HPLC
	Package: 10mg, 20mg, 50mg, 100mg, 1g, 10g...
	Synonyms: 3-Butylidene-4,5-dihydro-1(3H)-isobenzofuranone, 9CI. 3-Butylidene-4,5-dihydrophthalide, 8CI

